

NS0-173^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-173 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-173.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An administrator decides to connect storage directly to UCS Fabric Interconnect to support FCoE within a FlexPod configuration.

In this scenario, which port type should be defined on the Fabric Interconnect ports that are connected to the storage controller?

- A. monitor port
- B. appliance port
- C. uplink port
- D. server port

Correct Answer: C

QUESTION 2

Click the Exhibit button.



You have designed a FlexPod Express solution that uses a NetApp ONTAP controller, Cisco UCS C-Series servers, and Cisco Nexus 3000 Series switches, as shown in the exhibit.

Which three storage protocols are supported in this design? (Choose three.)

- A. SMB
- B. NFS
- C. iSCSI
- D. FC
- E. FCoE

Correct Answer: BCD

Reference: <https://www.netapp.com/media/12441-nva-0016-flexpod-express.pdf> (21)

QUESTION 3

A customer has a FlexPod Express configuration with a FAS2720 system. The company has opened a new remote location and will purchase a FlexPod Express configuration with a FAS2750 system. The business requires that the data be replicated to the new location.

Which two software applications accomplish this task? (Choose two.)

- A. SnapVault
- B. SnapRestore
- C. SnapMirror
- D. FlexCache

Correct Answer: CD

FlexClone: Instant virtual copies with file and volume granularity SnapMirror: Integrated data replication technology for simple, efficient, flexible disaster recovery and backup use cases

Reference: <https://www.inneo.ch/files/content/Informationstechnologien/Storage-Server-Netzwerk/datenblatt-netapp-fas-2700-storage.pdf>

QUESTION 4

A customer is configuring the UCS to handle a multitenant environment. The customer has created an organization within UCS for each tenant and would like to allow access to these organizations for only users that belong to that tenant.

In this scenario, which feature in UCS Manager should the customer use to accomplish this task?

- A. Locales
- B. Trusted Platform Module
- C. Service Profile
- D. User Roles

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Admin-Management/3-2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2/b_Cisco_UCS_Admin_Mgmt_Guide_3_2_chapter_01010.html

QUESTION 5

A customer has ordered a FlexPod Select solution with a NetApp EF570.

In this scenario, which three storage protocols are available for use? (Choose three.)

- A. InfiniBand
- B. CIFS
- C. iSCSI
- D. NFS
- E. FC

Correct Answer: BDE

[NS0-173 VCE Dumps](#)

[NS0-173 Study Guide](#)

[NS0-173 Exam Questions](#)