

NS0-175^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-175.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are designing a new FlexPod solution to use with VMware vSphere by using NFS datastores and want to ensure maximum availability by using a vPC.

In this scenario, on which Cisco component would you configure vPC interfaces?

- A. Cisco UCS Fabric Interconnect
- B. Cisco MDS switches
- C. Cisco Nexus switches
- D. UCS B-Series blade server

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_vmware_vs_7_design.html

QUESTION 2

What are three requirements for all FlexPod Datacenter solutions? (Choose three.)

- A. two NetApp storage controllers in a high-availability (HA) pair configuration
- B. a separate 100 Mbps Ethernet/1 Gbps Ethernet out-of-band management network
- C. a pair of Fabric Extenders in a redundant configuration
- D. two Cisco UCS 6200, 6300, or 6400 Series Fabric Interconnects in a redundant configuration
- E. redundant boot-from-SAN LUN paths

Correct Answer: CDE

QUESTION 3

A customer wants to upgrade their core fabric between each site with a modular chassis switch that supports up to 400GbE per port to accommodate more business transaction volume.

In this scenario, which device would help them accomplish their objective?

- A. Cisco Nexus 9504
- B. Cisco Nexus 9332C
- C. Cisco MDS 9706

D. Cisco Catalyst 9400

Correct Answer: A

Reference: <https://www.cisco.com/c/en/us/solutions/data-center/high-capacity-400g-data-centernetworking/index.html>

QUESTION 4

A customer is performing a server refresh of their FlexPod solution to accommodate business growth. The customer is interested in using Cisco C-Series servers, and supporting multiple 40 Gbps link to each server, upgrading from the existing 10 Gbps links.

Which two VICs support these requirements? (Choose two.)

- A. Cisco UCS 1480 VIC
- B. Cisco UCS 1497 VIC
- C. Cisco UCS 1495 VIC
- D. Cisco UCS 1440 VIC

Correct Answer: AD

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_sap_ucsm40_fcsan_design.html

QUESTION 5

You are asked to evaluate SaaS-based monitoring solutions for your FlexPod environment. Other than being SaaS-delivered, selection criteria include full lifecycle management, environment automation, and the ability to monitor third-party storage that is salted for retirement.

In this scenario, which product satisfies the requirements?

- A. NetApp Cloud Insights
- B. NetApp OnCommand Insight
- C. Cisco UCS Manager
- D. Cisco Intersight

Correct Answer: A

Reference: <https://cloud.netapp.com/hubfs/WP-7302-Cloud-Insights-Monitoring-Guide.pdf>

[Latest NS0-175 Dumps](#)

[NS0-175 VCE Dumps](#)

[NS0-175 Braindumps](#)