NS0-184 Q&As

NetApp Certified Storage Installation Engineer, ONTAP

Pass NetApp NS0-184 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/ns0-184.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp Official Exam Center

QUESTION 1

You are installing a 4-node AFF A400 cluster and are asked to create a custom security message before and after user login.

Which two security features are used to perform this task? (Choose two.)

A. EMS

B. banner

C. motd

D. AutoSupport

Correct Answer: BD

QUESTION 2

Click the Exhibit button.

You are setting up a new AFF A700 into a new rack at a customer\\'s site. The customer asks you to plan for simplified future growth.

Referring to the exhibit, how would you satisfy this requirement?

A. Option 4

B. Option 2

C. Option 3

D. Option 1

Correct Answer: B

QUESTION 3

In an ONTAP switched cluster, which three types of traffic travels over the cluster network? (Choose three.)

A. intercluster SnapMirror

B. intracluster SnapMirror

C. Epsilon voting

D. cluster database replication

E. remote cluster peering

Correct Answer: ADE

QUESTION 4

Click the Exhibit button.

```
Mar 18, 2020 07:35:35 CDT HA Group Notification (CLUSTER NETWORK DEGRADED) ALERT

Mar 19, 2020 22:04:20 CDT HA Group Notification (Health Monitor process cshm:
SwitchIfInErrorsWarn_Alert[NODE_NAME-sw1(SWITCH_SERIAL_NUMBER)/Ethernet1/8]) ALERT

Mar 12, 2020 20:58:38 CDT HA Group Notification (Health Monitor process cshm:
SwitchIfInErrorsWarn_Alert[NODE_NAME-sw1(SWITCH_SERIAL_NUMBER)/Ethernet1/8]) ALERT
```

Your ONTAP cluster shows the cluster network errors that are shown in the event log. What is used by ONTAP software to log the errors that are shown in the exhibit?

A. SNMP

B. AutoSupport

C. BGP

D. EMS

Correct Answer: D

QUESTION 5

Click the Exhibit button.

```
cluster1::> network device-discovery show

Node/        Local  Discovered
Protocol     Port   Device                                 Interface           Platform
-----------  -----  -------------------------------------  ------------------  -----------------
node1/cdp
             e4a    switchA-NX.netapp.com(SSI142311PD)
                                                           e1/1/1-4            N3K-C3132Q-V
             e8a    switchA-NX.netapp.com(SSI142311PD)
                                                           e1/2/1-4            N3K-C3132Q-V
node2/cdp
             e4a    switchB-NX.netapp.com(SSI142311PE)
                                                           e1/1/1-4            N3K-C3132Q-V
             e8a    switchB-NX.netapp.com(SSI142311PE)
                                                           e1/2/1-4            N3K-C3132Q-V
```

You are reviewing the setup of a recently installed FAS9000 switched cluster. As shown in the exhibit, the cluster interconnects are connected to a pair of Cisco Nexus 3132Q-V 40 Gb ports.

For a high availability, which ports should swap Ethernet cables?

A. Swap node1:e8a and node2:e4a.

B. Swap node1:e4a and node1:e8a.

C. Swap node2:e4a and node2:e8a.

D. Swap node1:e4a and node2:e4b.

Correct Answer: C

[NS0-184 PDF Dumps](#)   [NS0-184 Practice Test](#)   [NS0-184 Study Guide](#)