

NS0-191^{Q&As}

NetApp Certified Support Engineer

Pass Network Appliance NS0-191 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/ns0-191.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Lead4Pass.com

https://www.lead4pass.com/ns0-191.html

2021 Latest lead4pass NS0-191 PDF and VCE dumps Download

QUESTION 1

A customer mentions that after replacing a failed power supply, their FAS2220 system is now unavailable. Which statement is correct in this scenario?

- A. The FAS2220 system requires that the power supplyis replaced within two minutes after removal.
- B. The power supply is not hot-swappable on a FAS2220.
- C. The FAS2220 system requires both power supplies properly functioning to serve data.
- D. The FAS2220 system shut down after 15 minutes due to having onlyone power supply installed.

Correct Answer: C

QUESTION 2

A customer created a new storage virtual machine (SVM) named "svm-nfs". They enabled only NFSv3 and created a new export policy called "Linux". In this policy, they created a rule replacing the default rule that shows the host specifier to be IP address 172.16.100.0/24. This configuration has worked well for the past two weeks for all Linux clients. A new Linux client is about to be put into production but it is not enable the "access denied" error.

Which statement is correct in this scenario?

- A. There is no export policy entry for the namespace for this export.
- B. The time on the controller is skewed by more than five minutes.
- C. The new client\\'s IP address is not in the same subnet that is specified in the export policy rule.
- D. The volume is NTFS security style.

Correct Answer: C

QUESTION 3

A customer is using DP SnapMirror replication between two clusters. The source cluster is using Clustered Data ONTAP 8.2.3.

Which two versions are acceptable for the destination cluster to be operating? (Choose two.)

A. 8.1.4

B. 8.0.2

C. 8.3.1

D. 8.2.3

https://www.lead4pass.com/ns0-191.html

2021 Latest lead4pass NS0-191 PDF and VCE dumps Download

Correct Answer: AD

QUESTION 4

Click the Exhibit tab.

```
::> node run -node node2 ifstat ela
  interface ela (13 days, 22 hours, 41 minutes, 31 seconds)
RECEIVE
Frames/second: 39 | Bytes/second: 9956 | Errors/minute: 0
Discards/minute: 0 | Total frames: 37211k ( Potal bytes: 6257m
Total errors: 0 | Total discards: 0 | Multi/broadcast: 451k
No buffers: 0 | Non-primary u/c: 0 | L2 terminate: 0
No buffers: 0 | Non-primary u/c: 0 | L2
Tag drop: 0 | Vlan tag drop: 0 | Vlan untag drop: 0
Vlan forwards: 0 | All pkts: 37238k | MCast pkts: 442k | BCast pkts: 9155 | CRC errors: 298943245 | Bus overrun:
Alignment errors: 0 | Long frames: 0 | Jabber: 0
Pause frames: 0 | Runt frames: 0 | Jumbo frames: 176k
All pkts: 26033k | MCast pkts: 20079 | BCast pkts: 940
Bus underruns: 0 | Pause frames: 0 | Jumbo frames:
TRANSMIT
Frames/second: 31 | Bytes/second: 9316 | Errors/minute: 0
Discards/minute: 0 | Total frames: 26030k | Total bytes: 8434m
Total errors: 0 | Total discards: 0 | Multi/broadcast: 21020
                           No buffers: 0
Queue overflows: 0
LINK INFO
Current state: up | Up to downs: 2 | Speed: 10000m
Duplex: full | Flowcontrol: none
```

A customer receives "CLUSTER NETWORK DEGRADED" AutoSupport messages from this clustered Data ONTAP system. The customer suspects that something occurred physically to the nodes after they had a data center maintenance

move. The customer proceeds to follow the instructions in the Knowledge Base article regarding the "Error:

CLUSTER NETWORK DEGRADED" message that results in the output shown in the exhibit. After analysis, the customer decides to replace the small form-factor pluggable (SFP) transceivers and the cables on the system.

Which statistic supports the customer\\'s analysis?

- A. BCast pkts
- B. CRC errors
- C. Jumbo frames
- D. Multi/broadcast

Correct Answer: B

https://www.lead4pass.com/ns0-191.html

2021 Latest lead4pass NS0-191 PDF and VCE dumps Download

QUESTION 5

Which three conditions would prevent a normal giveback operation? (Choose three.)

- A. presence of failed disks
- B. ongoing SnapMirror updates
- C. established NFSv3 sessions
- D. LUNs mapped with ALUA enabled
- E. established CIFS sessions

Correct Answer: ABE

Latest NS0-191 Dumps

NS0-191 VCE Dumps

NS0-191 Practice Test



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.