

## NS0-194<sup>Q&As</sup>

NetApp Certified Support Engineer

### Pass NetApp NS0-194 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-194.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers




**QUESTION 1**

The details from within Active IQ Cluster Viewer are downloadable in which three file formats? (Choose three.)

- A. PDF
- B. CSV
- C. XLS
- D. DOC
- E. HTML

Correct Answer: ABC Section: (none)

**QUESTION 2**



In the AFF A200 shown in the exhibit, which port is a CNA port?

- A. |0|0|
- B. e0c/0c
- C. e0a
- D. 0a

Correct Answer: B Section: (none)

Reference: <https://docs.netapp.com/platstor/topic/com.netapp.doc.hw-2700-install-setup/GUID-FE4BD3C8-3DB4-438A-A5CE-FEEF74AE8BAF.html>

**QUESTION 3**

Your Windows clients were able to access your CIFS SVM yesterday. Today they are no longer able to access the CIFS SVM on your NetApp cluster. Your IT security team just pushed out a new group policy to enhance security.

In this scenario, which statement is true?

- A. Your CIFS SVM is not using DNS.

- B. Your CIFS SVM is configured to use SMBv1 and SMBv2.
- C. Your CIFS SVM is configured for NFSv3 access.
- D. Your CIFS SVM is configured for the wrong domain.

Correct Answer: A Section: (none)

---

#### QUESTION 4

While troubleshooting client access issues to a CIFS share, you notice that the issue only occurs when the data LIF that the clients are accessing is on a specific node in the cluster.

In this scenario, which configuration should you review to determine why this issue is happening?

- A. cluster health
- B. Kerberos
- C. share path
- D. export policies

Correct Answer: B Section: (none)

Reference: [https://library.netapp.com/ecm/ecm\\_download\\_file/ECMLP2426787](https://library.netapp.com/ecm/ecm_download_file/ECMLP2426787)

---

#### QUESTION 5

You are using FCP and iSCSI protocols from your clients with ONTAP as the target. You want to ensure that storage failover (SFO) works correctly for your clients.

In this scenario, which two features on the initiator and the target will accomplish this task? (Choose two.)

- A. LACP
- B. MPIO
- C. ALUA
- D. SCSI

Correct Answer: BC Section: (none)

Reference: <https://www.netapp.com/media/10680-tr4080.pdf>