

NS0-194^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-194 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-194.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the consequence of a loss of connectivity between a Cloud Volumes ONTAP (CVO) instance and Cloud Manager for four or more days?

- A. The CVO instance sends an AutoSupport message.
- B. The CVO instance must be added back manually to Cloud Manager.
- C. Cloud Manager removes the CVO instance from its inventory.
- D. The CVO instance is stopped.

Correct Answer: C Section: (none)

QUESTION 2

You received the "CLUSTER ERROR: DISK/SHELF COUNT MISMATCH" AutoSupport message from an ONTAP cluster.

When analyzing this message, which two should be inspected? (Choose two.)

- A. drive paths
- B. IOM firmware
- C. drive firmware
- D. SAS cabling

Correct Answer: AC Section: (none)

QUESTION 3

After a network card was replaced in an ONTAP node, you see the output shown in the exhibit.

```
cluster1::> network port ifgrp show -node cluster1-01 -instance
```

```

Node: cluster1-01
Interface Group Name: a0a
Distribution Function: ip
Create Policy: multimode_lacp
MAC Address: 02:a0:98:f8:91:14
Port Participation: partial
Network Ports: e0g, e0h
Up Ports: e0g
Down Ports: e0h

```

```
cluster1::> network port show -node cluster1-01
```

```
Node: cluster1-01
```

Port	IPspace	Broadcast Domain	Link	MTU	Speed (Mbps) Admin/Oper	Health Status
a0a	Default	Default	up	1500	auto/-	healthy
e0M	Default	Default	up	1500	auto/1000	healthy
e0a	Cluster	Cluster	up	9000	1000/10000	healthy
e0b	Cluster	Cluster	up	9000	1000/10000	healthy
e0c	Default	-	down	1500	1000/-	-
e0d	Default	-	down	1500	1000/-	-
e0g	Default	-	up	1500	auto/10000	healthy
e0h	Default	-	up	1500	auto/10000	healthy

What is the problem?

- A. The interface group is configured in single mode.
- B. One physical port is not cabled.
- C. One physical interface is broken.
- D. One physical interface is mis-cabled.

Correct Answer: D Section: (none)

QUESTION 4

You are asked to replicate 15 of 20 volumes and the network configuration of your storage virtual machine to your other data center.

In this scenario, which NetApp technology should you use?

- A. SnapMirror Synchronous
- B. SVM DR
- C. MetroCluster
- D. SVM peering

Correct Answer: A Section: (none)

Reference: <https://www.netapp.com/pdf.html?item=/media/19369-tr-4832.pdf>

QUESTION 5

You perform a security trace when troubleshooting a data access problem for a user. The results are shown in the exhibit.

```
cluster1::> vserver security trace trace-result show -vserver svml

Vserver: svml

Node          Index  Filter Details          Reason
-----
cluster1-01  1      Security Style: NTFS and  Access is denied. The
              NT ACL                    requested permissions are not
                                   granted by the ACE while
                                   opening existing file or
                                   directory. Access is not
                                   granted for: "Read Attributes"

              Protocol: cifs
              Volume: -
              Share: dept
              Path: /list.xlsx
              Win-User: LAB\domusr1
              UNIX-User: pcuser
              Session-ID: 14249952170953675090
```

What should you do to solve this issue?

- A. Grant the user Read Attributes access to the path.
- B. Add the user to the BUILTIN\power Users group.
- C. Add the user to the BUILTIN\Users group.
- D. Grant the user Execute access to the path.

Correct Answer: A Section: (none)

Reference: https://www.reddit.com/r/netapp/comments/dm90iv/change_ownership_failing/

[NS0-194 Practice Test](#)

[NS0-194 Study Guide](#)

[NS0-194 Braindumps](#)