

## NS0-509<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN - ONTAP

### Pass NetApp NS0-509 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-509.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator reviews the Upgrade Advisor before performing an upgrade of their ONTAP cluster.

What information is detailed in the report? (Choose two.)

- A. pre-upgrade checks
- B. performance metrics
- C. risk exposures
- D. cluster interconnect checks

Correct Answer: AD

---

**QUESTION 2**

You create a new iSCSI SVM and secure iSCSI sessions by using both Challenge-Handshake Authentication Protocol (CHAP) and iSCSI Access Control Lists (ACL).

In this scenario, in which two ways are you securing your iSCSI implementation? (Choose two.)

- A. CHAP creates a hash value for the username and shared secret.
- B. iSCSI ACLs are applied to the initiator configuration to provide an IP address of the targets.
- C. CHAP encrypts all iSCSI session I/O.
- D. iSCSI ACLs are applied to the target configuration to provide an IP address of the initiators.

Correct Answer: AD

---

**QUESTION 3**

Click the Exhibit button.

Priority	Category	Bus Type	Mktg Part No	Images	LED	Mfg Part No	Description	Optical Module	Cables	Supported Speed (s)	Min ONTAP	MAXQty <sup>[2]</sup>	Priority Slot Assignment
1	NVRAM	IO Module	X93140A		View	111-03190	NVRAM10 32GB	Not Supported	View		9,1RC2, 9,2RC1, 9,3RC1, 9,4RC1, 9,5RC1	1	6
2	Networking	IO Module	X91440A <sup>[2]</sup>		View	111-02590	2p 40GbE NIC Cu/Op	OSFP Optional	View	ETH: 10/40 Gbps	9,1RC2, 9,2RC1, 9,3RC1, 9,4RC1, 9,5RC1	6 <sup>[2]</sup>	4,6,9,1,10,2,11,3,7,6
3	Block Access	IO Module	X91135A		View	111-03789	4p 32Gb FC SFP -Op	SFP + Included	View	FC:8/16/32 Gbps FC:16/32 Gbps	9,3RC1, 9,4RC1, 9,5RC1	6	9,1,10,2,11,3,7,6
4	Block Access	IO Module	X91134A		View	111-03431	2p 32Gb FC Op	SFP + Included	View	FC:8/16/32 Gbps FC:16/32 Gbps	9,1RC2, 9,2RC1, 9,3RC1, 9,4RC1, 9,5RC1	6	9,1,10,2,11,3,7,6,8
5	Block Access	IO Module	X91143A		View	111-02397	4p 16Gb 10Gb UTA2 Cu/Op	SFP + Optional	View	ETH: 1/10 Gbps FC:4/8/16 Gbps	9,1RC2, 9,2RC1, 9,3RC1, 9,4RC1, 9,5RC1	6	9,1,10,2,11,3,7,6,8

A customer wants to add a 2-port, 32 Gb FC card to support NVMe in an AFF A700 2-node cluster. Currently, there are cards in slots 1, 2, 4, 6, 8, and 9.


Referring to the exhibit, what is the number of the slot that should be used?

- A. 10
- B. 3
- C. 5
- D. 7

Correct Answer: C

**QUESTION 4**

Exhibit.




Referring to the exhibit. What are two viable scenarios to test LUN multipathing on Host 1? (Choose two.)

- A. Reboot one of the switches.
- B. Disable one of the FC LIFs on Controller 1.
- C. Disconnect one of the host cables.
- D. Reboot Host 1.

Correct Answer: AC

**QUESTION 5**

Exhibit.



Referring to the exhibit, which type of zoning should be used?

- A. a WWPN with a single initiator and multiple targets
- B. a WWPN with a single initiator and a single target
- C. a WWNN with a single initiator and multiple targets

D. a WWNN with a single Initiator and a single target

Correct Answer: B

[NS0-509 PDF Dumps](#)

[NS0-509 VCE Dumps](#)

[NS0-509 Study Guide](#)