

NS0-509^{Q&As}

NetApp Certified Implementation Engineer - SAN - ONTAP

Pass NetApp NS0-509 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-509.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You create a 20 GB LUN in a newly created 100 GB FlexVol volume. You then write 5 GB of data to the LUN. You have space reservation disabled on the LUN.

In this scenario, how much space do you have left on the volume?

- A. 95 GB
- B. 80 GB
- C. 75 GB D. 85 GB

Correct Answer: A

Reference:

<https://library.netapp.com/ecmdocs/ECMP1368017/html/GUID-0E0B085C-5A42-43F3-9CCD4FD699BA6C89.html>

QUESTION 2

The ESX host reports inconsistent performance for iSCSI-based connectivity. In this scenario, what would cause this problem?

- A. The host and storage are connected to different switches.
- B. The flow control was disabled on the storage.
- C. The hardware initiators were used instead of software.
- D. The flow control is enabled on the storage.

Correct Answer: B

QUESTION 3

Exhibit.

```

c11::> lun mapping show
vsrver  path                igroup lun-id reporting-nodes
-----  -
SVM1    /vol/host1/lun0      linux1 0      c11-01, c11-02
SVM1    /vol/host2/lun0      linux2 0      c11-01, c11-02

c11::> lun show
vsrver  Path                State  Mapped  Type  Size
-----  -
SVM1    /vol/host1/lun0    online mapped  linux 10GB
SVM1    /vol/host2/lun0    online mapped  linux 20MB
    
```

During a data mobility test on a 4-node ONTAP 9.3 cluster, the host loses direct access to its LUNs. The LUNs are

hosting on node cl1-01 and are being moved to cl1-03 on a different HA pair. Referring to the exhibit, which corrective step is needed to ensure access while the volume is moved?

- A. Add reporting nodes for cl1-03 and cl1-04.
- B. Create additional LIFs on cl1-01 and cl1-02.
- C. Create a new destination volume on cl1-03.
- D. Create new igroups on cl1-03 and cl1-04.

Correct Answer: A

QUESTION 4

On your ONTAP 9.5 cluster, you need to set up the onboard key manager with hardware-based security and volume encryption.


Which two licenses are required in this situation? (Choose two.)

- A. FDE
- B. TPM
- C. VE
- D. RSA

Correct Answer: CD

QUESTION 5

Exhibit.



You are asked to change the iSCSI Target Node Name of an SVM named SVM1 that is serving data. Referring to the exhibit, which two statements are correct? (Choose two.)

- A. Reconnect all the IUNs after renaming the target node.
- B. Disable Selective LUN Mapping (SIM) and create port sets.
- C. Unmap and re-map the LUNs.

D. Stop and start the iSCSI service.

Correct Answer: CD

[Latest NS0-509 Dumps](#)

[NS0-509 Study Guide](#)

[NS0-509 Exam Questions](#)