

NS0-515^{Q&As}

NetApp Certified Implementation Engineer - SAN, E-Series

Pass NetApp NS0-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-515.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button.

The screenshot shows a web browser window with the URL <https://mysupport.netapp.com/matrix/#search>. The page header includes "NetApp.com" and "NetApp Support". The main heading is "NetApp Interoperability Matrix Tool". Navigation links include "HOME", "SUBSCRIPTIONS", "NOTIFICATIONS", "SAVED SEARCH", and "CAN'T FIND CONFIG?". The "Advanced Search" section has a search input field containing "E-Series". Below the input, there are two sections of results:

- Categories - Top matches** (with a "Show all matches" link):
 - E-Series VMware vCenter Plug-in version 3.0
 - E-Series VMware vCenter Plug-in version 2.7
 - E-Series VASA Provider version 5.5
 - E-Series SMI-S Provider version 11.50
 - E-Series SMI-S Provider version 11.42
- Solutions - Top matches** (with a "Show all matches" link):
 - Source Storage OS
 - Destination Storage OS
 - Storage OS
 - NetApp OS
 - NetApp HCI Storage (Element OS)
 - E-Series Controller Firmware
 - SANtricity
 - ONTAP OS
 - Element OS

At the bottom of the search results, there are two additional items: "E-Series SAN HOST" and "SAN-Switch (FAS, E-Series)".

Referring to the exhibit, what would you select in the search list to see all of the host selections for NetApp E-Series storage systems?

A. Storage OS

B. SANtricity

C. E-Series SAN Host


D. E-Series Controller Firmware

Correct Answer: C

Reference https://www.google.com/url?sa=t&drct=jandq=andesrc=sandsource=webandcd=1andved=2ahUKEwirltOiyqvnAhVhu3EKHcUrBjsQFjAAegQIAhABandurl=https%3A%2F%2Fcommunity.netapp.com%2Ffukiw75442%2Fattachments%2Ffukiw75442%2Feseries-santricity-and-related-plug-ins-discussions%2F557%2F1%2FIMT_ESeries_SAN_Host_20180424_090321201.pdfandusg=AOvVaw1LNpV6vBUxZXiyfgdcnISz

QUESTION 2

Click the Exhibit button.



A customer's host is running a Red Hat Enterprise Linux 7.6 server with dm-multipath configured for ALUA and is connected to a single volume on the EF280 system that is shown in the exhibit.

In this scenario, how many active/optimized paths are available to the volume?

A. 2

B. 8

C. 4

D. 6

Correct Answer: C

QUESTION 3

Your company has an E-Series system connected to Cisco MDS switches. You are asked to provision a volume on a new Windows host, but the Windows host is unable to connect to the volume on the E-Series system. All other Windows hosts in the fabric are able to connect to their volumes.

In this scenario, which three actions should you perform to accomplish this task? (Choose three.)

- A. Create a new virtual SAN (VSAN)
- B. Obtain the WWPN for the Windows HBA
- C. Restart the switches
- D. Create a single-initiator zone with the host and E-Series system
- E. Add a zone to the active zoneset

Correct Answer: BCE

QUESTION 4

Click the Exhibit button.

Rock_Group

(Optimal) (14 drives, 17820.00 GiB capacity, [2 free capacity areas](#))

Free capacity area 1,5120.00 GiB
Free capacity area 2,412.00 GiB

5532.00 GiB

Secure-capable Yes (🔒 not enabled) ? | DA No ?

An administrator is asked to create a 5532 GiB volume from the volume group. Referring to the exhibit, how would the administrator complete this request?

- A. Create the volume after performing space reclamation
- B. Create the volume after consolidating the capacity
- C. Create the volume from the available capacity
- D. Create the volume after adjusting the preservation capacity

Correct Answer: C

QUESTION 5

Which two steps are required to enable multifactor authentication on an E-Series system? (Choose two.)

- A. Test SSO login
- B. Configure In-Band Management
- C. Map roles
- D. Configure LDAP

Correct Answer: AB

Reference: <https://www.netapp.com/us/media/tr-4712.pdf>

[Latest NS0-515 Dumps](#)

[NS0-515 VCE Dumps](#)

[NS0-515 Study Guide](#)