

NS0-515^{Q&As}

NetApp Certified Implementation Engineer - SAN, E-Series

Pass NetApp NS0-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-515.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

When working on a customer's E-Series system to configure LDAP, you realize that you need to complete a Certificate Signing Request to receive a certificate.

In this scenario, when entering the information for the CSR, what information do you need from the controllers themselves? (Choose three.)

- A. the controller's alternate IP addresses
- B. the controller's serial number
- C. the controller's geographical location
- D. the controller's common name
- E. the controller's alternate names

Correct Answer: ADE

Reference: https://mysupport.netapp.com/NOW/public/eseries/sam_archive1130/index.html#page/GUID8538272A-B802-49D9-9EA2-96C82DAD26A2/GUID-A062373E-F378-43B7-9E73-1B27E9136655.html

QUESTION 2

Click the Exhibit button.

Rock_Group

(Optimal) (14 drives, 17820.00 GiB capacity, [2 free capacity areas](#))



Secure-capable Yes (🔒 not enabled) ? | DA No ?

An administrator is asked to create a 5532 GiB volume from the volume group. Referring to the exhibit, how would the administrator complete this request?

- A. Create the volume after performing space reclamation
- B. Create the volume after consolidating the capacity
- C. Create the volume from the available capacity
- D. Create the volume after adjusting the preservation capacity

Correct Answer: C

QUESTION 3

Which two local users of NetApp SANtricity Unified Manager would be used to edit the Certificate Management section? (Choose two.)

- A. storage
- B. support
- C. security
- D. admin

Correct Answer: BC

Reference: <https://www.netapp.com/us/media/tr-4712.pdf>

QUESTION 4

When a drive fails in a Dynamic Disk Pool (DDP) with no free capacity, what happens to the data?

- A. It is rebuilt using the on-board backup database
- B. It is rebuilt using preservation capacity within the DDP
- C. It is evacuated to the preservation capacity within the DDP
- D. It is evacuated to a hot spare drive that is assigned to the DDP

Correct Answer: B

Reference: <https://www.netapp.com/us/media/tr-4652.pdf> (6)

QUESTION 5

The NetApp E-Series system with a 32 Gb FC Host Interface Card (HIC) requires which type of fiber cable to connect to switches or to connect directly to hosts extending up to 100 meters?

- A. OM4
- B. OM3
- C. OM1
- D. OM2

Correct Answer: B

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2773537
