NS0-520^{Q&As}

NetApp Certified Implementation Engineer - SAN ONTAP

Pass NetApp NS0-520 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/ns0-520.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



Leads4Pass

QUESTION 1

A customer has an existing 8-node cluster that consists of six FAS2650 nodes and two FAS2554 nodes. The customer wants to expand the cluster by adding two AFF A220 nodes.

Which resource would be used to determine whether this configuration is supported?

- A. Interoperability Matrix Tool (IMT)
- B. Config Advisor
- C. OneCollect
- D. Hardware Universe (HWU)

Correct Answer: B

QUESTION 2

Click the Exhibit button.

::> volume show							
Vserver	Volume	Aggregate	State	Туре	Size	Available	Used%
svm fcp1	moved parent temp 1033 100 vol1	node_01_aggr1	offline	TMP	1TB	-	-
svm fcpl	voll	node 02 aggr1	online	RW	1TB	19.31GB	1%
svm fcp1	vol1 clone1	node 01 aggr1	online	RW	1TB	19.28GB	1%
svm fcp1	vol1_clone2	node 01 aggr1	online	RW	1TB	19.28GB	1%
svm_fcp1	vol1_clone3	node_01_aggr1	online	RW	1TB	19.28GB	18

You notice that your volume named vol1 has a temporary volume that is doubling the space that is used by the volume. In this scenario, which operation caused the volume to take up twice the space?

- A. FlexClone
- B. SnapRestore
- C. FlexGroup
- D. SnapMirror
- Correct Answer: D

Reference: https://community.netapp.com/t5/Data-ONTAP-Discussions/Volume-takes- much-more-space-than-expected/td-p/100619

QUESTION 3

Which NetApp tool provides a detailed inventory of SAN components?

- A. Active IQ OneCollect
- B. Interoperabilty Matrix Tool
- C. Active IQ config advisor
- D. Hardware Universe

```
Correct Answer: A
```

ActiveIQ OneCollect is a tool from NetApp that will create an inventory of your environment that will include hosts, switches and storage and validate it against the IMT (Interoperability Matrix Tool).

QUESTION 4

In an NVMe/FC environment, the host cannot discover the namespace on the AFF system. Referring to the exhibit, what is the problem?

```
# cat /etc/nvme/hostnqn
nqn.2014-08.org.nvmexpress:uuid:75953f3b-77fe-4e03-bf3c-09d5a156fbcd
```

- A. The host MPIO drivers are not installed
- B. NVMe is not supported on the FC adapter
- C. The NQN is not correct
- D. The NVMe service is not running on the SVM

Correct Answer: C

We would not be able to run that command if NVMe is not enabled NVMe is supported on the same SVM along with FC protocol The multipath tool on NVMe is called ANA NQN needs to be correctly declared on the subsystem to map the new NVMe resources

QUESTION 5

An administrator configures NVMe within an SVM for a test environment. The administrator creates an NVMe namespace and an NVMe subsystem. The administrator then maps the namespace to the subsystem. However, when the administrator establishes a connection to a supported host, the following error message appears: No discovery log entries to fetch.

What is the solution to this error?

A. Add the host WWPN to the subsystem.

Leads4Pass

- B. Disable the host HBA and re-enable it to clear the buffers.
- C. Add the host NQN to the subsystem.
- D. Use the nvme ns-rescan /dev/nvme0 command to rescan the bus.
- Correct Answer: C

Reference: https://www.netapp.com/us/media/tr-4684.pdf (39)

Latest NS0-520 Dumps

NS0-520 Exam Questions

NS0-520 Braindumps