

NSE4_FGT-6.2^{Q&As}

Fortinet NSE 4 - FortiOS 6.2

Pass Fortinet NSE4_FGT-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse4_fgt-6-2.html

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Examine the network diagram shown in the exhibit, and then answer the following question:



A firewall administrator must configure equal cost multipath (ECMP) routing on FGT1 to ensure both port1 and port3 links are used at the same time for all traffic destined for 172.20.2.0/24. Which of the following static routes will satisfy this requirement on FGT1? (Choose two.)

- A. 172.20.2.0/24 (1/0) via 10.10.1.2, port1 [0/0]
- B. 172.20.2.0/24 (25/0) via 10.30.3.2, port3 [5/0]
- C. 172.20.2.0/24 (25/0) via 10.10.1.2, port1 [5/0]
- D. 172.20.2.0/24 (1/150) via 10.30.3.2, port3 [10/0]

Correct Answer: BC

QUESTION 2

Examine the IPS sensor configuration shown in the exhibit, and then answer the question below.

Name

Comments 0 /255

[\[View IPS Signatures\]](#)

IPS Signatures

+ Add Signatures
🗑 Delete
✎ Edit IP Exemptions

Name	Exempt IPs	Severity	Target	Service	OS	Action	Packet Logging
A32S.Botnet	0	🔴🔴🔴🔴🔴	Server.Client	TCP	All	🚫 Monitor	✅

IPS Filters

+ Add Filter
✎ Edit Filter
🗑 Delete

Filter Details	Action	Packet Logging
Location:server OS:Windows	🚫 Block	🔴

What are the expected actions if traffic matches this IPS sensor? (Choose two.)

- A. The sensor will gather a packet log for all matched traffic.
- B. The sensor will not block attackers matching the A32S.Botnet signature.
- C. The sensor will block all attacks for Windows servers.
- D. The sensor will reset all connections that match these signatures.

Correct Answer: AC

QUESTION 3

An administrator is running the following sniffer command:

```
diagnose sniffer packet any "host 10.0.2.10" 3
```

What information will be included in the sniffer output? (Choose three.)

- A. IP header
- B. Ethernet header
- C. Packet payload
- D. Application header
- E. Interface name

Correct Answer: ABC

QUESTION 4

Which of the following statements are best practices for troubleshooting FSSO? (Choose two.)

- A. Include the group of guest users in a policy.
- B. Extend timeout timers.
- C. Guarantee at least 34 Kbps bandwidth between FortiGate and domain controllers.
- D. Ensure all firewalls allow the FSSO required ports.

Correct Answer: AD

QUESTION 5

Which of the following FortiGate configuration tasks will create a route in the policy route table? (Choose two.)

- A. Static route created with a Named Address object
- B. Static route created with an Internet Services object
- C. SD-WAN route created for individual member interfaces
- D. SD-WAN rule created to route traffic based on link latency

Correct Answer: BD

[Latest NSE4_FGT-6.2 Dumps](#)

[NSE4_FGT-6.2 PDF Dumps](#)

[NSE4_FGT-6.2 Exam Questions](#)