

NSE4_FGT-6.4^{Q&As}

Fortinet NSE 4 - FortiOS 6.4

Pass Fortinet NSE4_FGT-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse4_fgt-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What inspection mode does FortiGate use if it is configured as a policy-based next-generation firewall (NGFW)?

- A. Full Content inspection
- B. Proxy-based inspection
- C. Certificate inspection
- D. Flow-based inspection

Correct Answer: D

QUESTION 2

Refer to the exhibit.

```
STUDENT # get system session list
PROTO    EXPIRE SOURCE          SOURCE-NAT        DESTINATION        DESTINATION-NAT
tcp      3598  10.0.1.10:2706  10.200.1.6:2706  10.200.1.254:80  -
tcp      3598  10.0.1.10:2704  10.200.1.6:2704  10.200.1.254:80  -
tcp      3596  10.0.1.10:2702  10.200.1.6:2702  10.200.1.254:80  -
tcp      3599  10.0.1.10:2700  10.200.1.6:2700  10.200.1.254:443 -
tcp      3599  10.0.1.10:2698  10.200.1.6:2698  10.200.1.254:80  -
tcp      3598  10.0.1.10:2696  10.200.1.6:2696  10.200.1.254:443 -
udp      174   10.0.1.10:2694  -                10.0.1.254:53    -
udp      173   10.0.1.10:2690  -                10.0.1.254:53    -
```

Which contains a session list output. Based on the information shown in the exhibit, which statement is true?

- A. Destination NAT is disabled in the firewall policy.
- B. One-to-one NAT IP pool is used in the firewall policy.
- C. Overload NAT IP pool is used in the firewall policy.
- D. Port block allocation IP pool is used in the firewall policy.

Correct Answer: B

QUESTION 3

Examine the following web filtering log.

```
Date=2016-08-31 time=12:50:06 logid=0316013057 type=utm subtype=webfilter eventtype=ftgd_blk level=warning
vd=root policyid=1 sessionid=149645 user= " " scrip=10.0.1.10 srcport=52919 srcintf= "port3"
dstip=54.230.128.169 dstport=80 dstintf= "port1" proto=6 service="HTTP" hostname= "miniclip.com"
profile= "default" action=blocked reqtype=direct url= "/" sentbyte=286 rcvdbyte=0 direction=outgoing msg= "URL
belongs to a category with warnings enabled" method=domain cat=20 catdesc="Games" crscore=30 crlevel=high
```

Which statement about the log message is true?

- A. The action for the category Games is set to block.
- B. The usage quota for the IP address 10.0.1.10 has expired
- C. The name of the applied web filter profile is default.
- D. The web site miniclip.com matches a static URL filter whose action is set to Warning.

Correct Answer: C

QUESTION 4

Examine this FortiGate configuration: How does the FortiGate handle web proxy traffic coming from the IP address 10.2.1.200 that requires authorization?

```
config authentication setting
    set active-auth-scheme SCHEME1
end
config authentication rule
    edit WebProxyRule
        set srcaddr 10.0.1.0/24
        set active-auth-method SCHEME2
    next
end
```

- A. It always authorizes the traffic without requiring authentication.
- B. It drops the traffic.
- C. It authenticates the traffic using the authentication scheme SCHEME2.
- D. It authenticates the traffic using the authentication scheme SCHEME1.

Correct Answer: D

"What happens to traffic that requires authorization, but does not match any authentication rule? The active and passive SSO schemes to use for those cases is defined under config authentication setting"

QUESTION 5

Examine this FortiGate configuration:

```
config system global
    set av-failopen pass
end
```

Examine the output of the following debug command:

```
# diagnose hardware sysinfo conserve
memory conserve mode: on
total RAM: 3040 MB
memory used: 2948 MB 97% of total RAM
memory freeable: 92 MB 3% of total RAM
memory used + freeable threshold extreme: 2887 MB 95% of total RAM
memory used threshold red: 2675 MB 88% of total RAM
memory used threshold green: 2492 MB 82% of total RAM
```

Based on the diagnostic outputs above, how is the FortiGate handling the traffic for new sessions that require inspection?

- A. It is allowed, but with no inspection
- B. It is allowed and inspected as long as the inspection is flow based
- C. It is dropped.
- D. It is allowed and inspected, as long as the only inspection required is antivirus.

Correct Answer: C

[Latest NSE4_FGT-6.4 Dumps](#)

[NSE4_FGT-6.4 VCE Dumps](#) [NSE4_FGT-6.4 Braindumps](#)