

NSE4_FGT-6.4^{Q&As}

Fortinet NSE 4 - FortiOS 6.4

Pass Fortinet NSE4_FGT-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse4_fgt-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers




QUESTION 1


Refer to the exhibit.


Network interface configuration

Edit Interface

Name  LAN(port3)

Alias

Type  Physical Interface

Role 

Address


Addressing mode Manual DHCP


IP/Netmask


Secondary IP address

Administrative Access


IPv4

<input checked="" type="checkbox"/> HTTPS	<input checked="" type="checkbox"/> HTTP	<input checked="" type="checkbox"/> PING
<input type="checkbox"/> FMG-Access	<input checked="" type="checkbox"/> SSH	<input type="checkbox"/> SNMP
<input checked="" type="checkbox"/> TELNET	<input type="checkbox"/> FTM	<input type="checkbox"/> RADIUS Accounting
<input type="checkbox"/> Security Fabric Connection 		

Receive LLDP  Use VDOM Setting Enable Disable


Transmit LLDP  Use VDOM Setting Enable Disable



Network


Device detection 


Security mode Captive Portal

Authentication portal Local External

User Access  Restricted to Groups Allow all

User Groups  

Exempt sources 

Exempt destinations/services 

Redirect after Captive Portal Original Request Specific URL

```
Enforce authentication on demand option enabled

Local-FortiGate # config user setting

Local-FortiGate (setting) # show
config user setting
    set auth-cert "Fortinet_Factory"
    set auth-on-demand always
end
```

Name	Source	Destination	Schedule	Service	Action	NAT
LAN(port3) → WAN(port1) 2						
Sales Users	Sales LOCAL_SUBNET	all	always	ALL	✓ ACCEPT	✓ Enabled
Auth-Users	LOCAL_SUBNET	all	always	ALL	✓ ACCEPT	✓ Enabled

The exhibit contains a network interface configuration, firewall policies, and a CLI console configuration.

How will FortiGate handle user authentication for traffic that arrives on the LAN interface?

- A. If there is a full-through policy in place, users will not be prompted for authentication.
- B. Users from the Sales group will be prompted for authentication and can authenticate successfully with the correct credentials.
- C. Authentication is enforced at a policy level; all users will be prompted for authentication.
- D. Users from the HR group will be prompted for authentication and can authenticate successfully with the correct credentials.

Correct Answer: C

QUESTION 2

An administrator has configured two-factor authentication to strengthen SSL VPN access. Which additional best practice can an administrator implement?

- A. Configure Source IP Pools.
- B. Configure split tunneling in tunnel mode.
- C. Configure different SSL VPN realms.

D. Configure host check.

Correct Answer: D

QUESTION 3

An administrator is running the following sniffer command:

```
diagnose sniffer packet any "host 192.168.2.12" 5
```

Which three pieces of Information will be Included in me sniffer output? {Choose three.}

- A. Interface name
- B. Packet payload
- C. Ethernet header
- D. IP header
- E. Application header

Correct Answer: ABD

QUESTION 4

Which type of logs on FortiGate record information about traffic directly to and from the FortiGate management IP addresses?

- A. System event logs
- B. Forward traffic logs
- C. Local traffic logs
- D. Security logs

Correct Answer: C

QUESTION 5

View the exhibit:

▼ Status	▼ Name	▼ VLAN ID	▼ Type	▼ IP/Netmask
Physical(12)				
🟢	port1		Physical Interface	10.200.1.1 255.255.255.0
	port1-VLAN1	1	VLAN	10.200.5.1 255.255.255.0
	port1-VLAN10	10	VLAN	10.0.10.1 255.255.255.0
🟢	port2		Physical Interface	10.200.2.1 255.255.255.0
	port2-VLAN1	1	VLAN	10.0.5.1 255.255.255.0
	port2-VLAN10	10	VLAN	10.0.20.254 255.255.255.0
🟢	port3		Physical Interface	10.0.1.254 255.255.255.0

Which the FortiGate handle web proxy traffic rue? (Choose two.)

- A. Broadcast traffic received in port1-VLAN10 will not be forwarded to port2-VLAN10.
- B. port-VLAN1 is the native VLAN for the port1 physical interface.
- C. C. port1-VLAN10 and port2-VLAN10 can be assigned to different VDOMs.
- D. Traffic between port1-VLAN1 and port2-VLAN1 is allowed by default.

Correct Answer: AC

[Latest NSE4_FGT-6.4 Dumps](#)

[NSE4_FGT-6.4 VCE Dumps](#) [NSE4_FGT-6.4 Braindumps](#)