

NSE4_FGT-7.0^{Q&As}

Fortinet NSE 4 - FortiOS 7.0

Pass Fortinet NSE4_FGT-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse4_fgt-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.

Network diagram



ID	Name	Source	Destination	Schedule	Service	Action
WAN(port1) → LAN(port3) 2						
2	Deny	Deny_IP	all	always	ALL	DENY
3	Allow_access	all	Web_server	always	ALL	ACCEPT

Firewall address object

The screenshot shows the 'Edit Address' configuration window for a firewall address object. The settings are as follows:

- Name: Deny_IP
- Color: Change
- Type: Subnet
- IP/Netmask: 201.0.114.23/32
- Interface: WAN(port1)
- Static route configuration: Disabled
- Comments: Deny webserver access. 22/255

The exhibit contains a network diagram, firewall policies, and a firewall address object configuration.

An administrator created a Deny policy with default settings to deny Webserver access for Remote-user2. Remote-user2 is still able to access Webserver.

Which two changes can the administrator make to deny Webserver access for Remote- User2? (Choose two.)

- A. Disable match-vip in the Deny policy.
- B. Set the Destination address as Deny_IP in the Allow-access policy.
- C. Enable match vip in the Deny policy.
- D. Set the Destination address as Web_server in the Deny policy.

Correct Answer: CD

QUESTION 2

Which two statements are correct regarding FortiGate FSSO agentless polling mode? (Choose two.)

- A. FortiGate points the collector agent to use a remote LDAP server.
- B. FortiGate uses the AD server as the collector agent.
- C. FortiGate uses the SMB protocol to read the event viewer logs from the DCs.
- D. FortiGate queries AD by using the LDAP to retrieve user group information.


Correct Answer: CD

Fortigate Infrastructure 7.0 Study Guide P.272-273 <https://kb.fortinet.com/kb/documentLink.do?externalID=FD47732>

QUESTION 3

Examine the exhibit, which contains a virtual IP and firewall policy configuration.

Network Diagram



Name	VIP
Comments	
Color	<input type="button" value="Change"/>
Network	
Interface	WAN (port1)
Type	Static NAT
External IP Address/Range	10.200.1.10 - 10.200.1.10
Mapped IP Address/Range	10.0.1.10 - 10.0.1.10
Optional Filters	<input type="checkbox"/>
Port Forwarding	<input checked="" type="checkbox"/>
<input type="button" value="OK"/> <input type="button" value="Cancel"/>	

Firewall Policies							
ID	Name	Source	Destination	Schedule	Service	Action	NAT
LAN(port2) → WAN(port1) ①							
1	Full_Access	all	all	always	ALL	ACCEPT	Enabled
LAN(port 1) → WAN(port 2) ①							
2	WebServer	all	VIP	always	ALL	ACCEPT	Disabled

The WAN (port1) interface has the IP address 10.200.1.1/24. The LAN (port2) interface has the IP address 10.0.1.254/24.

The first firewall policy has NAT enabled on the outgoing interface address. The second firewall policy is configured with a VIP as the destination address.

Which IP address will be used to source NAT the Internet traffic coming from a workstation with the IP address 10.0.1.10/24?

- A. 10.200.1.10
- B. Any available IP address in the WAN (port1) subnet 10.200.1.0/24
- C. 10.200.1.1
- D. 10.0.1.254

Correct Answer: A

<https://help.fortinet.com/fos50hlp/54/Content/FortiOS/fortigate-firewall-52/Firewall%20Objects/Virtual%20IPs.htm>

QUESTION 4

Which two actions can you perform only from the root FortiGate in a Security Fabric? (Choose two.)

- A. Shut down/reboot a downstream FortiGate device.
- B. Disable FortiAnalyzer logging for a downstream FortiGate device.
- C. Log in to a downstream FortiSwitch device.
- D. Ban or unban compromised hosts.

Correct Answer: AB

QUESTION 5

Which two VDOMs are the default VDOMs created when FortiGate is set up in split VDOM mode? (Choose two.)

A. FG-traffic

B. Mgmt

C. FG-Mgmt

D. Root

Correct Answer: AD

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/758820/split-task-vdom-mode>

[NSE4_FGT-7.0 PDF Dumps](#)

[NSE4_FGT-7.0 Practice
Test](#)

[NSE4_FGT-7.0 Study Guide](#)