

# NSE5\_FCT-7.0<sup>Q&As</sup>

Fortinet NSE 5 - FortiClient EMS 7.0

## Pass Fortinet NSE5\_FCT-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/nse5\\_fct-7-0.html](https://www.leads4pass.com/nse5_fct-7-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which three types of antivirus scans are available on FortiClient? (Choose three )

- A. Proxy scan
- B. Full scan
- C. Custom scan
- D. Flow scan
- E. Quick scan

Correct Answer: BCE

---

**QUESTION 2**

Refer to the exhibit.

Log Details
✕

**General**

Absolute Date/Time	2021/11/25 08:59:18
Time	08:59:18
Duration	0s
Session ID	6308
Virtual Domain	root

**Source**

IP	100.64.2.253
Source Port	49964
Country/Region	Reserved
Source Interface	port1
User	

**Destination**

IP	100.64.1.10
Port	9443
Country/Region	Reserved
Destination Interface	root

**Application Control**

Application Name	
Category	unscanned
Risk	undefined
Protocol	6
Service	tcp/9443

**Data**

Received Bytes	0 B
Received Packets	0
Sent Bytes	0 B
Sent Packets	0
Message	Denied: failed to match an API-gateway

**Action**

Action	Deny: policy violation
Security Action	Blocked
Policy ID	ZTNA-WAN (4)
Policy UUID	23f88b34-4e0b-51ec-0e83-dab1019c2d5c
Policy Type	Firewall

Which shows the output of the ZTNA traffic log on FortiGate. What can you conclude from the log message?

- A. The remote user connection does not match the explicit proxy policy.
- B. The remote user connection does not match the ZTNA server configuration.
- C. The remote user connection does not match the ZTNA rule configuration.
- D. The remote user connection does not match the ZTNA firewall policy

Correct Answer: B

API gateway cannot be matched or real servers cannot be reached

---

### QUESTION 3

Which component or device shares device status information through ZTNA telemetry?

- A. FortiClient
- B. FortiGate
- C. FortiGate Access Proxy
- D. FortiClient EMS

Correct Answer: A

FortiClient communicates directly with FortiClient EMS to continuously share device status information through ZTNA telemetry.

---

### QUESTION 4

Which two VPN types can a FortiClient endpoint user initiate from the Windows command prompt? (Choose two)

- A. L2TP
- B. PPTP
- C. IPsec
- D. SSL VPN

Correct Answer: CD

---

### QUESTION 5

An administrator is required to maintain a software inventory on the endpoints. without showing the feature on the FortiClient dashboard What must the administrator do to achieve this requirement?

- A. The administrator must use default endpoint profile

- B. The administrator must not select the vulnerability scan feature in the deployment package.
- C. The administrator must select the vulnerability scan feature in the deployment package, but disable the feature on the endpoint profile
- D. The administrator must click the hide icon on the vulnerability scan tab

Correct Answer: D

[NSE5\\_FCT-7.0 VCE Dumps](#)

[NSE5\\_FCT-7.0 Practice  
Test](#)

[NSE5\\_FCT-7.0 Exam  
Questions](#)