

NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.



IP Policy											
Enabled	ID	Source	Destinati...	Session	AntiSpam	AntiVirus	Content	DLP	IP Pool	Authentication	Exclu...
<input checked="" type="checkbox"/>	1	0.0.0.0/0	0.0.0.0/0	Example Session							<input checked="" type="checkbox"/>

An administrator has enabled the sender reputation feature in the Example_Session profile on FML-1. After a few hours, the deferred queue on the mail server starts filling up with undeliverable email. What two changes must the administrator make to fix this issue? (Choose two.)

- A. Apply a session profile with sender reputation disabled on a separate IP policy for outbound sessions
- B. Clear the sender reputation database using the CLI
- C. Create an outbound recipient policy to bypass outbound email from session profile inspections
- D. Disable the exclusive flag in IP policy ID 1

Correct Answer: AD

QUESTION 2

Refer to the exhibit.

Email Archiving Exempt Policy

Policy status:

Account: + New... Edit...

Policy type:

Pattern:

Create
Cancel

Email Archiving Policy

Policy status:

Account: + New... Edit...

Policy type:

Pattern:

Create
Cancel


What two archiving actions will FortiMail take when email messages match these archive policies? (Choose two.)

- A. FortiMail will save archived email in the journal account
- B. FortiMail will allow only the marketing@example.com account to access the archived email
- C. FortiMail will exempt spam email from archiving
- D. FortiMail will archive email sent from marketing@example.com

Correct Answer: AB

QUESTION 3

Refer to the exhibit.



Primary HA Interface Configuration

HA Interface	
Port:	port1
Enable port monitor	<input type="checkbox"/>
Heartbeat status:	Disable
Peer IP address:	0.0.0.0
Peer IPv6 address:	
Virtual IP action :	lphone
Virtual IP address:	0.0.0.0 / 0
Virtual IPv6 address:	/ 0
<input type="button" value="OK"/> <input type="button" value="Cancel"/>	

The exhibit shows a FortiMail active-passive setup.

Which three actions are recommended when configuring the primary FortiMail HA interface? (Choose three.)

- A. Disable Enable port monitor
- B. In the Heartbeat status drop-down list, select Primary
- C. In the Peer IP address field, type 172.16.32.57

D. In the Virtual IP action drop-down list, select Use

E. In the Virtual IP address field, type 172.16.32.55/24

Correct Answer: ABD

QUESTION 4

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal, and there are no unnecessary failovers?

A. Break the cluster, upgrade the units independently, and then form the cluster

B. Upgrade both units at the same time

C. Upgrade the standby unit, and then upgrade the active unit

D. Upgrade the active unit, which will upgrade the standby unit automatically

Correct Answer: B

Reference: <https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/725928/upgradingfirmware-on-ha-units>

QUESTION 5

FortiMail is configured with the protected domain example.com.

Which two envelope addresses will require an access receive rule, to relay for unauthenticated senders? (Choose two.)

A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org

B. MAIL FROM: support@example.com RCPT TO: marketing@example.com

C. MAIL FROM: training@external.org RCPT TO: students@external.org

D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: BD

[Latest NSE6_FML-6.2 Dumps](#)

[NSE6_FML-6.2 Study Guide](#) [NSE6_FML-6.2 Braindumps](#)