

NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

While testing outbound MTA functionality, an administrator discovers that all outbound email is being processed using policy IDs 1:2:0.

Which two reasons explain why the last policy ID value is 0? (Choose two.)

- A. Outbound email is being rejected
- B. IP policy ID 2 has the exclusive flag set
- C. There are no outgoing recipient policies configured
- D. There are no access delivery rules configured for outbound email

Correct Answer: CD

QUESTION 2

Refer to the exhibit.



Enabled	Email	First Name	Last Name	Status	Creation Time	Last Access
<input checked="" type="checkbox"/>	extuser@external.lab	Mail	User	Activated	Wed, 05 Sep 2018 12:05:47 PDT	Wed, 05 Sep 2018 12:38:56 PDT
<input checked="" type="checkbox"/>	extuser2@external.lab			Pre-registered	Wed, 05 Sep 2018 12:41:32 PDT	Wed, 05 Sep 2018 12:41:32 PDT

Which statement describes the pre-registered status of the IBE user extuser2@external.lab?

- A. The user has received an IBE notification email, but has not accessed the HTTPS URL or attachment yet.
- B. The user account has been de-activated, and the user must register again the next time they receive an IBE email.
- C. The user was registered by an administrator in anticipation of IBE participation.
- D. The user has completed the IBE registration process, but has not yet accessed their IBE email.

Correct Answer: D

Reference: <https://docs.fortinet.com/document/fortimail/6.4.2/administration-guide/470401/configuring-ibeusers>

QUESTION 3

Refer to the exhibit.

```
C:\>nslookup -type=mx example.com
Server: PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com      MX preference = 10, mail exchanger = mx.hosted.com
example.com      MX preference = 20, mail exchanger = mx.example.com
```

Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The PriNS server should receive all email for the example.com domain
- C. The primary MTA for the example.com domain is mx.hosted.com
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: AC

QUESTION 4

Refer to the exhibit.

IBE Encryption

Enable IBE service	<input checked="" type="checkbox"/>
IBE service name:	<input type="text" value="Example Secure Portal"/>
User registration expiry time (days):	<input type="text" value="30"/>
User inactivity expiry time (days):	<input type="text" value="90"/>
Encrypted email storage expiry time (days):	<input type="text" value="180"/>
Password reset expiry time (hours):	<input type="text" value="24"/>
Allow secure replying	<input checked="" type="checkbox"/>
Allow secure forwarding	<input type="checkbox"/>
Allow secure composing	<input type="checkbox"/>
IBE base URL:	<input type="text"/>
"Help" content URL:	<input type="text"/>
"About" content URL:	<input type="text"/>
Allow custom user control	<input type="checkbox"/>

Which statement describes the impact of setting the User inactivity expiry time option to 90 days?

- A. IBE user accounts will expire after 90 days of inactivity, and must register again to access new IBE email message
- B. Registered IBE users have 90 days from the time they receive a notification email message to access their IBE email
- C. After initial registration, IBE users can access the secure portal without authenticating again for 90 days
- D. First time IBE users must register to access their email within 90 days of receiving the notification email message

Correct Answer: A

Reference: https://docs.fortinet.com/document/fortimail/6.4.0/cli-reference/813529/system-encryptionibe#config_3733402351_2450215

QUESTION 5

A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: CD

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf (30)

[NSE6_FML-6.2 PDF Dumps](#)

[NSE6_FML-6.2 Practice
Test](#)

[NSE6_FML-6.2 Study Guide](#)