

# NSE6\_FML-6.2<sup>Q&As</sup>

Fortinet NSE 6 - FortiMail 6.2

## Pass Fortinet NSE6\_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/nse6\\_fml-6-2.html](https://www.leads4pass.com/nse6_fml-6-2.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

Which two CLI commands, if executed, will erase all data on the log disk partition? (Choose two.)

- A. execute formatmaildisk
- B. execute formatmaildisk\_backup
- C. execute formatlogdisk
- D. execute partitionlogdisk 40

Correct Answer: CD

Reference: <https://docs.fortinet.com/document/fortimail/6.2.0/cli-reference/588825/formatlogdisk>

## QUESTION 2

Refer to the exhibit.

The screenshot shows the 'Mail Server Settings' configuration page in FortiMail. The page has a green header with tabs for 'Mail Server Settings', 'Relay Host List', 'Disclaimer', 'Disclaimer Exclusion List', and 'Storage'. Under the 'Local Host' section, the following settings are visible:

- Host name: mx
- Local domain name: example.com
- SMTP server port number: 25
- SMTP over SSL/TLS:
- SMTPS server port number: 465
- SMTP MSA service:
- SMTP MSA port number: 587
- POP3 server port number: 110
- Default domain for authentication: --None--
- Redirect HTTP to HTTPS:

Which two statements about the mail server settings are true? (Choose two.)

- A. FortiMail will support the STARTTLS extension
- B. FortiMail will accept SMTPS connections

- C. FortiMail will drop any inbound plaintext SMTP connection
- D. FortiMail will enforce SMTPS on all outbound sessions

Correct Answer: BC

---

### QUESTION 3

A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: CD

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d11ea-9384-00505692583a/FortiMail-6.4.0-Administration\\_Guide.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf) (30)

---

### QUESTION 4

If you are using the built-in MTA to process email in transparent mode, which two statements about FortiMail behavior are true? (Choose two.)

- A. MUAs need to be configured to connect to the built-in MTA to send email
- B. If you disable the built-in MTA, FortiMail will use its transparent proxies to deliver email
- C. FortiMail can queue undeliverable messages and generate DSNs
- D. FortiMail ignores the destination set by the sender, and uses its own MX record lookup to deliver email

Correct Answer: CD

---

### QUESTION 5

Refer to the exhibit.

```
C:\>nslookup -type=mx example.com
Server:  PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com      MX preference = 10, mail exchanger = mx.hosted.com
example.com      MX preference = 20, mail exchanger = mx.example.com
```

Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The PriNS server should receive all email for the example.com domain
- C. The primary MTA for the example.com domain is mx.hosted.com
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: AC

[NSE6\\_FML-6.2 VCE Dumps](#) [NSE6\\_FML-6.2 Study Guide](#) [NSE6\\_FML-6.2 Braindumps](#)