

NSE7^{Q&As}

Fortinet Troubleshooting Professional

Pass Fortinet NSE7 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/nse7.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An administrator has configured a dial-up IPsec VPN with one phase 2, extended authentication (XAuth) and IKE mode configuration. The administrator has also enabled the IKE real time debug:

```
diagnose debug application ike-1
```

```
diagnose debug enable
```

In which order is each step and phase displayed in the debug output each time a new dial-up user is connecting to the VPN?

- A. Phase1; IKE mode configuration; XAuth; phase 2.
- B. Phase1; XAuth; IKE mode configuration; phase2.
- C. Phase1; XAuth; phase 2; IKE mode configuration.
- D. Phase1; IKE mode configuration; phase 2; XAuth.

Correct Answer: D

QUESTION 2

Examine the output of the 'diagnose debug rating' command shown in the exhibit; then answer the question below.

```
# diagnose debug rating
Locale      : english
License     : Contract
Expiration  : Wed Mar 27 17:00:00 20xx
== Server List (Mon Apr 16 15:32:55 20xx) ==
IP          Weight  RTT   Flags  TZ   Packets  Curr Lost  Total Lost
69.195.205.101  10     45    -5     262432  0         846
69.195.205.102  10     46    -5     329072  0         6806
209.222.147.43  10     75    -5     71638   0         275
96.45.33.65    20     71    -8     36875   0         92
208.91.112.196  20     103   DI     -8     34784   0         1070
208.91.112.198  20     107   D      -8     35170   0         1533
80.85.69.41    60     144   0      0       33728   0         120
62.209.40.73   71     226   1      0       33797   0         192
121.111.236.180 150    197   9      0       33754   0         145
69.195.205.103  45     44    F      -5     26410   26226    26227
```

Which statement are true regarding the output in the exhibit? (Choose two.)

- A. There are three FortiGuard servers that are not responding to the queries sent by the FortiGate.
- B. The TZ value represents the delta between each FortiGuard server's time zone and the FortiGate's time zone.
- C. FortiGate will send the FortiGuard queries to the server with highest weight.

D. A server's round trip delay (RTT) is not used to calculate its weight.

Correct Answer: BC

QUESTION 3

Examine the partial output from the IKE real time debug shown in the exhibit; then answer the question below.

```
#diagnose debug application ike -1
#diagnose debug enable
ike 0: .....: 75: responder: aggressive mode get 1st message...
...
ike 0: .....:76: incoming proposal:
ike 0: .....:76: proposal id = 0:
ike 0: .....:76: protocol id= ISAKMP:
ike 0: .....:76: trans_id = KEY_IKE.
ike 0: .....:76: encapsulation = IKE/none
ike 0: .....:76: type= OAKLEY_ENCRYPT_ALG, val=AES_CBC.
ike 0: .....:76: type= OAKLEY_HASH_ALG, val=SHA2_256.
ike 0: .....:76: type=AUTH_METHOD, val=PRESHARED_KEY.
ike 0: .....:76: type=OAKLEY_GROUP, val=MODP2048.
ike 0: .....:76: ISAKMP SA lifetime=86400
ike 0: .....:76: my proposal, gw Remote:
ike 0: .....:76: proposal id=1:
ike 0: .....:76: protocol id= ISAKMP:
ike 0: .....:76: trans_id= KEY_IKE.
ike 0: .....:76: encapsulation = IKE/none
ike 0: .....:76: type=OAKLEY_ENCRYPT_ALG, val=DES_CBC.
ike 0: .....:76: type=OAKLEY_HASH_ALG, val=SHA2_256.
ike 0: .....:76: type=AUTH_METHOD, val= PRESHARED_KEY.
ike 0: .....:76: type=OAKLEY_GROUP, val =MODP2048.
ike 0: .....:76: ISAKMP SA lifetime=86400
ike 0: .....:76: proposal id=1:
ike 0: .....:76: protocol id= ISAKMP:
ike 0: .....:76: trans_id= KEY_IKE.
ike 0: .....:76: encapsulation = IKE/none
ike 0: .....:76: type=OAKLEY_ENCRYPT_ALG, val=DES_CBC.
ike 0: .....:76: type= OAKLEY_HASH_ALG, val=SHA2_256.
ike 0: .....:76: type=AUTH_METHOD, val=PRESHARED_KEY.
ike 0: .....:76: type=OAKLEY_GROUP, val=MODP1536.
ike 0: .....:76: ISAKMP SA lifetime=86400
ike 0: .....:76: negotiation failure
ike Negotiate ISAKMP SA Error: ike 0: .....:76: no SA proposal chosen
```

Why didn't the tunnel come up?

- A. IKE mode configuration is not enabled in the remote IPsec gateway.
- B. The remote gateway's Phase-2 configuration does not match the local gateway's phase- 2 configuration.
- C. The remote gateway's Phase-1 configuration does not match the local gateway's phase- 1 configuration.
- D. One IPsec gateway is using main mode, while the other IPsec gateway is using aggressive mode.

Correct Answer: B

QUESTION 4

View the exhibit, which contains the output of a BGP debug command, and then answer the question below.

```
# get router info bgp summary
BGP router identifier 0.0.0.117, local AS number 65117
BGP table version is 104
3 BGP AS-PATH entries
0 BGP community entries
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
10.125.0.60	4	65060	1698	1756	103	0	0	03:02:49	1
10.127.0.75	4	65075	2206	2250	102	0	0	02:45:55	1
10.200.3.1	4	65501	101	115	0	0	0	never	Active

Total number of neighbors 3

Which of the following statements about the exhibit are true? (Choose two.)

- A. For the peer 10.125.0.60, the BGP state of is Established.
- B. The local BGP peer has received a total of three BGP prefixes.
- C. Since the BGP counters were last reset, the BGP peer 10.200.3.1 has never been down.
- D. The local BGP peer has not established a TCP session to the BGP peer 10.200.3.1.

Correct Answer: BC

QUESTION 5

What conditions are required for two FortiGate devices to form an OSPF adjacency? (Choose three.)

- A. IP addresses are in the same subnet.
- B. Hello and dead intervals match.
- C. OSPF IP MTUs match.
- D. OSPF peer IDs match.
- E. OSPF costs match.

Correct Answer: ABD

[NSE7 Practice Test](#)

[NSE7 Exam Questions](#)

[NSE7 Braindumps](#)