

NSE7_EFW-6.0^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.0

Pass Fortinet NSE7_EFW-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse7_efw-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following conditions must be met for a static route to be active in the routing table? (Choose two.)

- A. The next-hop IP address is up.
- B. There is no other route, to the same destination, with a higher distance.
- C. The link health monitor (if configured) is up.
- D. The outgoing interface is up.

Correct Answer: CD

QUESTION 2

View the global IPS configuration, and then answer the question below.

```
config ips global
    set fail-open disable
    set intelligent-mode disable
    set cp-accel-mode advanced
    set engine-count 0
end
```

Which of the following statements is true regarding this configuration? (Choose two.)

- A. IPS will scan every byte in every session.
- B. IPS acceleration is disabled in this FortiGate device's configuration.
- C. New packets requiring IPS inspection will be passed through during conserve mode.
- D. FortiGate will spawn IPS engine instances based on the system load.

Correct Answer: AD

QUESTION 3

View the exhibit, which contains a partial routing table, and then answer the question below.

```
FGT # get router info routing-table all
...
Routing table for VRF=7
C    10.73.9.0/24 is directly connected, port2

Routing table for VRF=12
C    10.1.0.0/24 is directly connected, port3
S    10.10.4.0/24 [10/0] via 10.1.0.100, port3
C    10.64.1.0/24 is directly connected, port1

Routing table for VRF=21
S    10.1.0.0/24 [10/0] via 10.72.3.254, port4
C    10.72.3.0/24 is directly connected, port4
S    192.168.2.0/24 [10/0] via 10.72.3.254, port4
...
```

Assuming all the appropriate firewall policies are configured, which of the following pings will FortiGate route? (Choose two.)

- A. Source IP address 10.1.0.24, Destination IP address 10.72.3.20.
- B. Source IP address 10.72.3.27, Destination IP address 10.1.0.52.
- C. Source IP address 10.72.3.52, Destination IP address 10.1.0.254.
- D. Source IP address 10.73.9.10, Destination IP address 10.72.3.15.

Correct Answer: BC

QUESTION 4

View the exhibit, which contains a session table entry, and then answer the question below.

```
FGT = diagnose sys session list
session info: proto=6 proto_state=11 duration=35 expire=265 timeout=300 flags=00000000
sockflag=00000000 sockport=0 av_idx=0 use=4
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=redir local may_dirty none app_ntf
statistic(bytes/packets/allow_err): org=3208/25/1 reply=11144/29/1 tuples=2
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
origin->sink: org pre->post, reply pre->post dev=7->6/6->7 gwy=172.20.121.2/10.0.0.2
hook=post dir=org act=snat 192.167.1.100:49545->216.58.216.238:443 (172.20.121.96:49545)
hook=pre dir=reply act=dnat 216.58.216.238:443->172.20.121.96:49545 (192.167.1.100:49545)
pos/ (before,after) 0/ (0,0), 0/ (0,0)
src_mac=08:5b:0e:6c:7b:7a
misc=0 policy_id=21 auth_info=0 chk_client_info=0 vd=0
serial=007f2948 tos=ff/ff app_list=0 app=0 url_cat=41
rpd_b_link_id = 00000000
dd_type=0 dd mode=0
npu_state=00000000
npu info: flag=0x00/0x00, offload=0/0, ips offload=0/0, epid=0/0, ipid=0/0, vlan=0x0000/0x0000
vlifid=0/0, vtag_in=0x0000/0x0000 in_npu=0/0, out_npu=0/0, fwd_en=0/0, qid=0/0
```

Which one of the following statements is true regarding FortiGate's inspection of this session?

- A. FortiGate applied flow-based inspection.
- B. FortiGate applied proxy-based inspection.
- C. FortiGate forwarded this session without any inspection.
- D. FortiGate applied NGFW flow-based inspection.

Correct Answer: B

QUESTION 5

What conditions are required for two FortiGate devices to form an OSPF adjacency? (Choose three.)

- A. OSPF IP MTUs match.
- B. OSPF costs match.
- C. OSPF peer IDs match.
- D. IP addresses are in the same subnet.
- E. Hello and dead intervals match.

Correct Answer: ADE

[NSE7_EFW-6.0 Practice Test](#)

[NSE7_EFW-6.0 Study Guide](#)

[NSE7_EFW-6.0 Braindumps](#)