

NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/nse7 sdw-7-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

Refer to the exhibit, Exhibit A




Exhibit B




Exhibit A shows the system interface with the static routes and exhibit B shows the firewall policies on the managed FortiGate.

Based on the FortiGate configuration shown in the exhibits, what issue might you encounter when creating an SD-WAN zone for port1 and port2?

A. port1 is assigned a manual IP address.

B. port1 is referenced in a firewall policy.



C. port2 is referenced in a static route.

D. port1 and port2 are not administratively down.

Correct Answer: B

QUESTION 2

Which CLI command do you use to perform real-time troubleshooting for ADVPN negotiation?

- A. get router info routing-table all
- B. diagnose debug application ike
- C. diagnose vpn tunnel list
- D. get ipsec tunnel list

Correct Answer: B

QUESTION 3

Which two configuration tasks are required to use SD-WAN? (Choose two.)

- A. Add one or more members to an SD-WAN zone.
- B. Configure at least one firewall policy for SD-WAN traffic.
- C. Specify the outgoing interface routing cost.
- D. Specify the incoming interfaces in SD-WAN rules.

Correct Answer: AB

QUESTION 4

Which two statements describe how IPsec phase 1 aggressive mode is different from main mode when performing IKE negotiation? (Choose two)

- A. A peer ID is included in the first packet from the initiator, along with suggested security policies.
- B. XAuth is enabled as an additional level of authentication, which requires a username and password.
- C. A total of six packets are exchanged between an initiator and a responder instead of three packets.
- D. The use of Diffie Hellman keys is limited by the responder and needs initiator acceptance.

Correct Answer: AC



QUESTION 5

Which components make up the secure SD-WAN solution?

- A. Application, antivirus, and URL, and SSL inspection
- B. Datacenter, branch offices, and public cloud
- C. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy
- D. Telephone, ISDN, and telecom network.

Correct Answer: C

NSE7 SDW-7.0 Practice Test NSE7 SDW-7.0 Exam Questions NSE7 SDW-7.0 Braindumps