

NSE8_811^{Q&As}

Fortinet NSE 8 Written Exam (NSE8_811)

Pass Fortinet NSE8_811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse8_811.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.

```
FG2 # show router ospf
config router ospf
  set default-information-originate always
  set router-id 2.2.2.2
  config area
    edit 0.0.0.0
    next
  end
  config ospf-interface
    edit "P10"
      set interface "port10"
      set network-type broadcast
    next
  end
  config network
    edit 10
      set prefix 192.168.10.0 255.255.255.0
    next
  end
  config redistribute "connected"
  end
  config redistribute "static"
  end
end
```

A customer is using dynamic routing to exchange the default route between two FortiGate devices using OSPFv2. The output of the get router info ospf neighbor command shows that the neighbor is up, but the default route does not appear in the routing neighbor shown below.

```
FG1 # get router info ospf neighbor
```

```
OSPF process 0:
```

Neighbor ID	Pri	State	Dead Time
Address		Interface	
2.2.2.2	1	Full/ -	00:00:38
192.168.10.2		port10	

According to the exhibit, what is causing the problem?

- A. FG2 is within the wrong OSPF area.
- B. OSPF requires the redistribution of connected networks.
- C. There is an OSPF interface network-type mismatch.
- D. A prefix for the default route is missing.

Correct Answer: C

QUESTION 2

A FortiGate with the default configuration shown below is deployed between two IP telephones. FortiGate receives the INVITE request shown in the exhibit from Phone A (internal) to Phone B (external).

```
INVITE sip:PhoneB@172.20.120.30 SIP/2.0 Via: SIP/2.0/UDP 10.31.101.20:5060 From: PhoneA To: PhoneB Call-ID: 314159@10.31.101.20 CSeq: 1 INVITE Contact: sip:PhoneA@10.31.101.20 v=0 o=PhoneA 5462346 332134 IN IP4 10.31.101.20 c=IN IP4 10.31.101.20 m=audio 49170 RTP 0 3
```

Which two statements are correct after the FortiGate receives the packet? (Choose two.)

- A. NAT takes place only in the SIP application layer.
- B. A pinhole will be opened to accept traffic sent to the FortiGate WAN IP address.
- C. NAT takes place at both the network and SIP application layers.
- D. A pinhole is not required to accept traffic sent to the FortiGate WAN IP address.

Correct Answer: BC

QUESTION 3

Refer to the exhibit.

```
config vpn certificate setting
    set oosp-status enable
    set oosp-default-server "FAC"
    set strict-oosp-check enable
end
config user peer
    edit _any_
        set ca CA_Cert
        set ldap-server Training-Lab
        set ldap-mode principal-name
    next
end
config user group
    edit "SSLVPN_Users"
        set member "_any_"
    next
end
```

A FortiGate device is configured to authenticate SSL VPN users using digital certificates. A partial FortiGate configuration is shown in the exhibit.

Referring to the exhibit, which two statements about this configuration are true? (Choose two.)

- A. The authentication will fail if the user certificate does not contain the user principal name (UPN) information.
- B. The authentication will fail if the user certificate does not contain the CA_Cert string in the CA field.
- C. The authentication will fail if the OCSP server is down.
- D. OCSP is used to verify that the user-signed certificate has not expired.

Correct Answer: AC

QUESTION 4

A customer is looking for a way to remove javascripts, macros and hyperlinks from documents traversing the network without affecting the integrity of the content. You propose to use the Content disarm and reconstruction (CDR) feature of the FortiGate.

Which two considerations are valid to implement CDR in this scenario? (Choose two.)

- A. The inspection mode of the FortiGate is not relevant for CDR to operate.
- B. CDR is supported on HTTPS, SMTPS, and IMAPS if deep inspection is enabled.

C. CDR can only be performed on Microsoft Office Document and PDF files.

D. Files processed by CDR can have the original copy quarantined on the FortiGate.

Correct Answer: CD

QUESTION 5

Refer to the exhibit.

FortiSandbox

FortiSandbox Inspection [Statistics...](#)

FortiSandbox type **Appliance** Cloud

Server name/IP 10.10.10.3

Notifier Email tech@acme.ch

Statistics interval 5 (minutes)

Scan timeout 30 (minutes)

Scan result expires in 60 (minutes)

File Scan Settings

File types Windows executable Microsoft Office document
 PDF Adobe flash
 JavaScript Jar
 HTML Archive

File patterns

File size Maximum file size to upload 1024 (KB)

URI Scan Settings

Email selection **All email** Suspicious email

URI selection All URI **Unrated URI**

Upload URI on rating error

Number of URIs per email 5

You have installed a FortiSandbox and configured it in your FortiMail. Referring to the exhibit, which two statements are correct? (Choose two.)

- A. If FortiMail is not able to obtain the results from the FortiGuard queries, URIs will not be checked by the FortiSandbox.
- B. FortiMail will cache the results for 30 minutes

C. If the FortiSandbox with IP 10.10.10.3 is not available, the e-mail will be checked by the FortiCloud Sandbox.

D. FortiMail will wait up to 30 minutes to obtain the scan results.

Correct Answer: AD

[Latest NSE8_811 Dumps](#)

[NSE8_811 VCE Dumps](#)

[NSE8_811 Study Guide](#)