

# OMG-OCUP-100<sup>Q&As</sup>

OMG-Certified UML Professional Fundamental Exam

## Pass OMG OMG-OCUP-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/omg-ocup-100.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by OMG  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What are the association end names in the exhibit?



- A. Person and Order
- B. customer and Order
- C. 1 and \*
- D. 1, \*, customer, and Order
- E. 1, \*, customer, order, Person, and Order

Correct Answer: B

---

**QUESTION 2**

What is specified by a use case?

- A. set of user interface screens
- B. required usage of the system
- C. possible path based on a value
- D. business justification for system development

Correct Answer: B

---

**QUESTION 3**

What does the symbol in the exhibit represent inside UML 2.0 activity diagrams?




- A. pin

- B. port
- C. place
- D. entry state
- E. parameter node

Correct Answer: A

#### QUESTION 4

In the exhibit, what is the meaning of size in these two diagrams?



- A. Only one or the other should be used, not both, in order to avoid a name conflict.
- B. The size end name on the association indicates data storage and the attribute does not.
- C. There is one size property diagrammed both as an attribute and as an association end.
- D. There are two size properties that have no name conflict as long as each size is private.
- E. The size attribute in the class indicates that it will be stored within the class and the end name does not.

Correct Answer: C

#### QUESTION 5

What is the purpose of general ordering in a UML 2.0 interaction diagram?

- A. mechanism to provide partial ordering of event occurrences
- B. principle of how to order the lifelines within a sequence diagram
- C. construct showing the order of messages in a communication diagram
- D. construct to define the generalization relationship between different interactions

Correct Answer: A

[Guide](#)

[Questions](#)

[Braindumps](#)