

PCAP^{Q&As}

Certified Associate in Python Programming

Pass Python Institute PCAP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pcap-31-02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Python Institute Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A Python module named pymod.py contains a variable named pyvar.

Which of the following snippets will let you access the variable? (Choose two.)

- A. `import pymod pymod.pyvar = 1`
- B. `import pyvar from pymod pyvar = 1`
- C. `from pymod import pyvar pyvar ()`
- D. `from pyfun import * pyvar = 1`

Correct Answer: C

QUESTION 2


The following expression

```
1+-2
```

is:

- A. equal to 1
- B. invalid
- C. equal to 2
- D. equal to -1

Correct Answer: D



```
8 print (1+-2)
-1
...Program finished with exit code 0
Press ENTER to exit console.
```

QUESTION 3

What is the expected behavior of the following code?

```
def f(n):  
    for i in range(1, n+1):  
        yield i  
  
for i in f(2):  
    print(i, end=' ')
```

It will

- A. print 21
- B. print 12
- C. cause a runtime exception
- D. print

Correct Answer: B

QUESTION 4

If you want to transform a string into a list of words, what invocation would you use? (Select two answers)

Expected output:

```
The, Catcher, in, the Rye,
```

Code:

```
s = "The Catcher in the Rye"  
l = # put a proper invocation here  
for w in l:  
    print(w, end=', ')
```

- A. s.split ()
- B. split (s, ``)
- C. s.split (``)
- D. split (s)

Correct Answer: C

QUESTION 5

If any of a class's components has a name that starts with two underscores (___), then:

- A. the class component's name will be mangled
- B. the class component has to be an instance variable
- C. the class component has to be a class variable
- D. the class component has to be a method

Correct Answer: A

Reference: <https://hackernoon.com/understanding-the-underscore-of-python-309d1a029edc>

[PCAP VCE Dumps](#)

[PCAP Practice Test](#)

[PCAP Exam Questions](#)