

PCNSE8^{Q&As}

Palo Alto Networks Certified Security Engineer (PCNSE) PAN-OS 8.0

Pass Palo Alto Networks PCNSE8 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pcnse8.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An administrator has created an SSL Decryption policy rule that decrypts SSL sessions on any port. Which log entry can the administrator use to verify that sessions are being decrypted?

- A. In the details of the Traffic log entries
- B. Decryption log
- C. Data Filtering log
- D. In the details of the Threat log entries

Correct Answer: A

Reference: <https://live.paloaltonetworks.com/t5/Configuration-Articles/How-to-Implement-and-Test-SSL-Decryption/ta-p/59719>

QUESTION 2

Which three firewall states are valid? (Choose three)


- A. Suspended
- B. Passive
- C. Active
- D. Pending
- E. Functional

Correct Answer: ABC

QUESTION 3

The web server is configured to listen for HTTP traffic on port 8080. The clients access the web server using the IP address 1.1.1.100 on TCP Port 80. The destination NAT rule is configured to translate both IP address and port to

10.1.1.100 on TCP Port 8080.



Which NAT and security rules must be configured on the firewall? (Choose two)

- A. A security policy with a source of any from untrust-I3 Zone to a destination of 10.1.1.100 in dmz-I3 zone using web-browsing application
- B. A NAT rule with a source of any from untrust-I3 zone to a destination of 10.1.1.100 in dmz-zone using service-http service.
- C. A NAT rule with a source of any from untrust-I3 zone to a destination of 1.1.1.100 in untrust-I3 zone using service-http service.
- D. A security policy with a source of any from untrust-I3 zone to a destination of 1.1.1.100 in dmz-I3 zone using web-browsing application.

Correct Answer: BD

QUESTION 4

Which two methods can be used to mitigate resource exhaustion of an application server? (Choose two)

- A. Vulnerability Object
- B. DoS Protection Profile
- C. Data Filtering Profile
- D. Zone Protection Profile

Correct Answer: BD

QUESTION 5

In the following image from Panorama, why are some values shown in red?

Device Name	Logging Rate (Log/sec)	Device	Session
		Throughput (KB/sec)	Count (Sessions)
uk3	781	209	40221
sg2	0	953	170
us3	291	0	67455

- A. sg2 session count is the lowest compared to the other managed devices.
- B. us3 has a logging rate that deviates from the administrator-configured thresholds.
- C. uk3 has a logging rate that deviates from the seven-day calculated baseline.
- D. sg2 has misconfigured session thresholds.

Correct Answer: C

[PCNSE8 PDF Dumps](#)

[PCNSE8 Practice Test](#)

[PCNSE8 Braindumps](#)