**Leads4Pass**

# PCSAE<sup>Q&As</sup>

Palo Alto Networks Certified Security Automation Engineer

## Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.leads4pass.com/pcsae.html**

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

Where can engineers add the post-processing scripts to incidents?

A. The post-processing tag must be added to the automation

B. Post-processing scripts must be added at the end of playbooks

C. Post-processing scripts must be added from the Incident Type editor

D. Post-processing scripts must be added from the Post-Process Rules editor

Correct Answer: C

**QUESTION 2**

Which two options are the most effective for moving content between two environments? (Choose two.)

A. Remote repository based content sharing

B. UI based content import/export button

C. Copy the content backup from one environment file system (/var/lib/demisto/backup/content-backup-*) and move it to the other environment

D. Download the content items separately and upload them to the other environment

Correct Answer: AC

Reference: https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/manage-data/migrate-data-to-another-server-for-multi-tenant.html

**QUESTION 3**

When uploading content, which two options could the upload include? (Choose two.)

A. Indicators

B. Incidents

C. Reports

D. Fields

Correct Answer: AB

**QUESTION 4**

An engineer is developing a playbook that will be run multiple times for testing purposes.

What is the recommended first task to be used in the playbook?

A. DeleteContext

B. GenerateTest

C. PrintContext

D. SetContext

Correct Answer: A

Reference: https://xsoar.pan.dev/docs/integrations/test-playbooks

**QUESTION 5**

In which two ways can data be transferred between playbooks and sub-playbooks? (Choose two.)

A. Inputs and outputs

B. Through integration context

C. Automatically extracted by sub-playbooks

D. From context data, if context is shared globally

Correct Answer: AD

[PCSAE VCE Dumps](#)          [PCSAE Practice Test](#)          [PCSAE Study Guide](#)