PCSAE^{Q&As}

Palo Alto Networks Certified Security Automation Engineer

Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/pcsae.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

QUESTION 1

By default, automation written in which language will be executed in a Docker container?

A. Python

B. Go

C. JavaScript

D. Perl

Correct Answer: B

QUESTION 2

When mapping incoming data to incident fields, which statement is correct?

A. Data that is not mapped is placed under labels

B. Only text fields are classified

C. Classification cannot be used if mapping is enabled

D. Every incoming field must be mapped

Correct Answer: D

Reference: https://xsoar.pan.dev/docs/incidents/incident-classification-mapping

QUESTION 3

What are two common use cases for conditional tasks? (Choose two.)

A. They are used for branching paths in a playbook

B. They are used to interact with users through survey functionality

C. They are used to determine which incident will be executed

D. They are used for sending a specific question to a person or team

Correct Answer: AC

Reference: https://docs-new.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/cortex-xsoar-overview/use-cases.html#id7b31e50b-5aca-4d65-bdb5-ba61b4eac0b4

QUESTION 4

An engineer would like to add a custom field to the New Job form for a job triggered from a threat intel feed. How would the engineer implement this?

A. The new job form changes based on the threat intel feed integration configuration

B. The new job form can be edited from the Indicator Feed incident type editor

C. The new job form for a threat intel feed job cannot be edited

D. The new job form can be edited from the threat intel feeds integration settings

Correct Answer: B

Reference: https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-threat-intel-management-guide/manage-indicators/understand-indicators/create-a-feed-based-job.html

QUESTION 5

An engineer defined a dashboard which allows important metrics to be displayed. The engineer would like to make this dashboard the default dashboard. How can it be accomplished?

A. Default Dashboard can be defined by `Role\\'

B. Use the server configuration key: default.dashboards

C. Save the dashboard as a widget and apply it to all users

D. Right click on the dashboard tab and `Set as Default\\'

Correct Answer: D

Reference: https://docs.paloaltonetworks.com/cortex/cortex-xdr/cortex-xdr-prevent-admin/monitoring/cortex-xdr-dashboard/manage-dashboards.html

[PCSAE VCE Dumps](#)   [PCSAE Practice Test](#)   [PCSAE Braindumps](#)