

## PDI<sup>Q&As</sup>

Salesforce Certification for Platform Developer I

### Pass Salesforce PDI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pdi.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Developer needs to automatically populate the Reports To field in a Contact record based on the values of the related Account and Department fields in the Contact record.

Which type of trigger would the developer create? Choose 2 answers

- A. Before update
- B. After insert
- C. Before insert
- D. After update

Correct Answer: AC

---

**QUESTION 2**

A developer needs to know if all tests currently pass in a Salesforce environment. Which feature can the developer use? (Choose 2)

- A. ANT Migration Tool
- B. Workbench Metadata Retrieval
- C. Salesforce UI Apex Test Execution
- D. Developer Console

Correct Answer: CD

---

**QUESTION 3**

AW Computing (AWC) handles orders in Salesforce and stores its product inventory in a field, `inventory_c`, on a custom object, `Product_c`. When an order for a `Product_c` is placed, the `inventory_c` field is reduced by the quantity of the order using an Apex trigger.

```
public void reduceInventory(Id prodId, Integer qty) {
    Integer newInventoryAmt = getNewInventoryAmt(prodId, qty);
    Product__c p = new Product__c(Id = prodId, Inventory__c = newInventoryAmt);
    update p;

    // code goes here
}
```

AWC wants the real-time inventory reduction for a product to be sent to many of its external systems, including some future systems the company is currently planning. What should a developer add to the code at the placeholder to meet these requirements?

- A. 

```
InventoryReductionEvent__e ev = new InventoryReductionEvent__e(ProductId__c = prodId, Reduction__c = qty);
EventBus.publish(ev);
```
- B. 

```
InventoryReductionEvent__e ev = new InventoryReductionEvent__e(ProductId__c = prodId, Reduction__c = qty);
insert ev;
```
- C. 

```
InventoryReductionEvent__c ev = new InventoryReductionEvent__c(ProductId__c = prodId, Reduction__c = qty);
EventBus.publish(ev);
```
- D. 

```
InventoryReductionEvent__c ev = new InventoryReductionEvent__c(ProductId__c = prodId, Reduction__c = qty);
insert ev;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

---

#### QUESTION 4

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

Correct Answer: D

---

## QUESTION 5

A developer wants to retrieve the Contacts and Users with the email address '\\dev@uc.com\\'.

Which SOSL statement should the developer use?

- A. FIND {dev@uc.com} IN Email Fields RETURNING Contact (Email), User (Email)
- B. FIND {Email = '\\dev@uc.com\\'} IN Contact, User
- C. FIND {Email = '\\dev@uc.com\\'} RETURNING Contact (Email), User (Email)
- D. FIND Email IN Contact, User FOR {dev2uc.com}

Correct Answer: A

[PDI PDF Dumps](#)

[PDI Practice Test](#)

[PDI Exam Questions](#)