

# PGCES-02<sup>Q&As</sup>

PostgreSQL CE 8 Silver

## Pass PostgreSQL-CE PGCES-02 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pgces-02.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by PostgreSQL-CE Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The table "custom" is defined below. The "id" column and "introducer" column are of INTEGER type, and the "email" column is of TEXT type. id | email | introducer -----+-----+-----2 | aaa@example.com | 1 3 | bbb@example.com | 2 4 | ccc@example.com | 2 Three SQL statements were executed in the following order: INSERT INTO custom SELECT max(id) + 1, '\\ddd@example.com\\', 4 FROM custom; UPDATE custom SET introducer = 999 WHERE email = '\\bbb@example.com\\'; DELETE FROM custom WHERE introducer NOT IN (SELECT id FROM custom); Select the number of rows in the "custom" table after the execution.

- A. 0 rows
- B. 1 row
- C. 2 rows
- D. 3 rows
- E. 4 rows

Correct Answer: C

---

**QUESTION 2**

Select one incorrect description regarding the following SQL statement defining a function. CREATE OR REPLACE FUNCTION get\_file\_list(TEXT, BOOLEAN) RETURNS SETOF TEXT LANGUAGE C STRICT SECURITY DEFINER AS '\\myfuncs.so\\';

- A. This function may be defined in '\\myfuncs.so\\'.
- B. This function can return multiple rows.
- C. This SQL statement defines a function written in the C language.
- D. If this function is called with a NULL parameter, it will return 0 when executed.
- E. This function operates with the authority of the user who executed it.

Correct Answer: E

---

**QUESTION 3**

A table is defined as below. Select the most suitable description about the foreign key constraint. CREATE TABLE master (id INTEGER PRIMARY KEY, name TEXT); CREATE TABLE record (id INTEGER REFERENCES master (id), count INTEGER);

- A. If any row exists in the "record" table, no change can be made to the "master" table.
- B. If the "record" table contains a row with an "id", no change can be made at all to the corresponding "id" row in the "master" table.
- C. If the "record" table contains a row with an "id", the corresponding "id" row in the "master" table cannot be deleted.

- D. The "record" table cannot have duplicate "id"s.
- E. These SQL statements are invalid; no constraints are created.

Correct Answer: C

---

#### QUESTION 4

The "sample" table consists of the following data. How many rows are returned by executing the following SQL statement?

```
SELECT i FROM sample GROUP BY i;
```

- A. 1 row
- B. 2 rows
- C. 3 rows
- D. 4 rows
- E. 5 rows

Correct Answer: C

---

#### QUESTION 5

Select the correct SQL statement that records the space occupied by deleted or updated rows for later reuse, and also updates statistics.

- A. VACUUM
- B. VACUUM ANALYZE
- C. EXPLAIN
- D. EXPLAIN ANALYZE
- E. NOTIFY

Correct Answer: B

[Latest PGCES-02 Dumps](#)

[PGCES-02 PDF Dumps](#)

[PGCES-02 VCE Dumps](#)