

PL-300^{Q&As}

Microsoft Power BI Data Analyst

Pass Microsoft PL-300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pl-300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

1.

Date[Month] in the mmyyyy format

2.

Date[Date_ID] in the ddmmyyyy format

3.

Date[Date_name] in the mm/dd/yyyy format

4.

Monthly_returns[Month_ID] in the mmyyyy format

The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Order table and the Store table on the Store_ID column.

What should you do before you create the relationship?

- A. In the Order table query, use the Table.TransformRows function.
- B. In the Store table query, use the Table.TransformRows function.
- C. In the Store table query, use the Table.TransformColumnTypes function.
- D. In the Order table query, use the Table.TransformColumnTypes function.

Correct Answer: C

QUESTION 2

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. From Power BI Desktop, customize the current theme,
- B. From power BI Desktop, use a built in report theme.
- C. Create a theme as a JSON file and import the theme into Power BI Desktop.
- D. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.

Correct Answer: B

QUESTION 3

DRAG DROP

You have a Microsoft Excel workbook that contains two tables.

From Power BI, you create a dashboard that displays data from the tables.

You update the tables each day.

You need to ensure that the virtualizations in the dashboard are updated daily.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to answer area and arrange them in the correct order.

Select and Place:

Actions

- For each dataset, modify the Schedule Refresh settings.
- Download and install an on-premises data gateway (personal).
- For each dataset, modify the Gateway Connection settings.
- Add subscriptions for the reports.
- Download and install Power BI Desktop.

Answer Area

Navigation icons: Right arrow, Left arrow, Up arrow, Down arrow.

Correct Answer:

The screenshot shows a software interface with two main sections: 'Actions' on the left and 'Answer Area' on the right. The 'Actions' section contains three empty text boxes at the top, followed by two boxes with the text 'Add subscriptions for the reports.' and 'Download and install Power BI Desktop.' respectively. The 'Answer Area' section contains three boxes with the text 'Download and install an on-premises data gateway (personal).', 'For each dataset, modify the Gateway Connection settings.', and 'For each dataset, modify the Schedule Refresh settings.' respectively. Below the third box in the 'Answer Area' are two circular navigation icons: a left-pointing arrow and a downward-pointing arrow.

References: <https://docs.microsoft.com/en-us/power-bi/refresh-scheduled-refresh>

QUESTION 4

Your organization has a team of power users who recently created 20 Power BI dashboards.

The power users share the dashboards with other users in the organization.

When the users attempt to access the dashboards, they receive the error message shown in the exhibit. (Click the Exhibit.)



You need to ensure that all the users can access the dashboards. What should you do first?

- A. From the Microsoft Office 365 Admin center, and the Power BI (free) subscription, and then assign a license to each user.
- B. From the Power BI Admin portal, modify the Privacy Settings.
- C. From the properties of each dashboard, modify the Share dashboard settings.
- D. Instruct each user to install Microsoft Office 2016.

Correct Answer: A

References: <http://www.nubo.eu/en/blog/2016/12/Enable-PowerBI-On-Office-365/>

QUESTION 5

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is

exactly the same in each question in this series.


Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)

Database Diagram



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015.

Product Subcategory [Subcategory] contains NULL values.

End of repeated scenario.

You implement the Power BI model.

You need to add a measure to rank total sales by product. The results must appear as shown in the following table.

Rank	Product	SalesAmount
1	Product3	13,000
1	Product2	13,000
2	Product1	12,000
3	Product5	10,000
3	Product4	10,000

Which DAX formula should you use?

A. Product Ranking= RANKX (Product, [SalesAmount], , DESC, Skip)

B. Product Ranking= RANKX (ALL, (^ Product\'), [SalesAmount], , DESC, Dense)

C. Product Ranking= RANKX (ALL, (^ Product\'), [SalesAmount], , DESC, Skip)

D. Product Ranking= RANKX (ALL (^ Product\'), [SalesAmount], , Asc, Dense)

Correct Answer: B

References: <https://msdn.microsoft.com/en-us/library/gg492185.aspx>

[PL-300 PDF Dumps](#)

[PL-300 Practice Test](#)

[PL-300 Exam Questions](#)