

## PL-500<sup>Q&As</sup>

Microsoft Power Automate RPA Developer

### Pass Microsoft PL-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pl-500.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

### HOTSPOT

You are automating a form on a website. The website uses the following HTML markup to define each field on the form:

```
<div _ngcontent-c1="" class="col s6 m6 l6">  
  <div class="ng-invalid ng-dirty ng-touched">  
    <label>Field1</label><input ng-reflect-name="labelField1" class="ng-pristine ng-invalid ng-touched">  
  </div>  
</div>
```

The label for each field is unique in the form.

You need to write data to the form.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Statement	Yes	No
You configure the following selector: <code>input[ng-reflect-name="labelField1"]</code> The automation will add data to the form.	<input type="radio"/>	<input type="radio"/>
You configure the following selector: <code>div:has(label:contains("Field1")) &gt; input</code> The automation will add data to the form.	<input type="radio"/>	<input type="radio"/>
You add the <b>Run JavaScript function on web page</b> action to the flow: <pre>function ExecuteScript() {   \$("div:contains('Field1') &gt; input")   .val("Field's 1 value") }</pre> The action adds data to the form.	<input type="radio"/>	<input type="radio"/>


Correct Answer:

Statement	Yes	No
You configure the following selector: <code>input[ng-reflect-name="labelField1"]</code> The automation will add data to the form.	<input type="radio"/>	<input checked="" type="radio"/>
You configure the following selector: <code>div:has(label:contains("Field1")) &gt; input</code> The automation will add data to the form.	<input checked="" type="radio"/>	<input type="radio"/>
You add the <b>Run JavaScript function on web page</b> action to the flow: <pre>function ExecuteScript() {   \$("div:contains('Field1') &gt; input")     .val("Field's 1 value") }</pre>	<input checked="" type="radio"/>	<input type="radio"/>
The action adds data to the form.		

## QUESTION 2

### HOTSPOT

You create the following flow:



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:



What does the value 3 in the Count property represent?

- The do until action will retry up to three times if there are any failures.
- The do until actions must succeed three times before moving on to the next action.

What does the value PT15M in the Timeout property represent?

- The do until must run for a minimum of 15 minutes.
- The flow cannot exceed 15 minutes of total run time.
- The do until will time out when it reaches 15 minutes.

Correct Answer:

What does the value 3 in the Count property represent?

- The do until action will retry up to three times if there are any failures.
- The do until actions must succeed three times before moving on to the next action.


What does the value PT15M in the Timeout property represent?

- The do until must run for a minimum of 15 minutes.
- The flow cannot exceed 15 minutes of total run time.
- The do until will time out when it reaches 15 minutes.

### QUESTION 3

#### HOTSPOT

You create the following flow:



Hot Area:

Questions	Response
What does the icon to the left of line 2 represent?	<p>There is a breakpoint in the code.</p> <p>The action processes sensitive data.</p> <p>The action includes action-level error handling.</p>
When will the loop condition at line 4 initialize?	<p>When the name of the active Excel worksheet is Results.</p> <p>When the name of the active Excel worksheet is anything other than Results.</p>
At which point will the flow stop?	<p>A user opens another Excel window on their desktop.</p> <p>The number of iterations through the loop equals or exceeds five.</p>

Correct Answer:

Questions	Response
What does the icon to the left of line 2 represent?	<p>There is a breakpoint in the code.</p> <p>The action processes sensitive data.</p> <p>The action includes action-level error handling.</p>
When will the loop condition at line 4 initialize?	<p>When the name of the active Excel worksheet is Results.</p> <p>When the name of the active Excel worksheet is anything other than Results.</p>
At which point will the flow stop?	<p>A user opens another Excel window on their desktop.</p> <p>The number of iterations through the loop equals or exceeds five.</p>

**QUESTION 4**

You are preparing to share a desktop flow. You need to share the flow with another user. Which two methods can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Share the desktop flow by using the Microsoft Power Platform admin center.
- B. Share the desktop flow by using the Power Automate portal. Grant the user permissions to access the flow.
- C. Export a solution that contains the desktop flow and provide the solution to the user.
- D. Create a managed solution that contains the desktop flow and share the solution with another user.

Correct Answer: BC

**QUESTION 5**

You plan to use a cloud flow.

The flow must be contained within a solution.

You need to add the cloud flow to a solution.

Solution: Add an existing cloud flow from a managed solution to a new unmanaged solution.

Does the solution meet the goal?

- A. Yes
- B. No

Correct Answer: B

[PL-500 PDF Dumps](#)

[PL-500 Study Guide](#)

[PL-500 Braindumps](#)