

PSE-ENDPOINT^{Q&As}

PSE: Endpoint – Professional

Pass Palo Alto Networks PSE-ENDPOINT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pse-endpoint.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto
Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Traps agents use a default password for uninstallation in the event that they never communicate with their ESM server.

Identify the password.

- A. PaloAlto!
- B. Uninstall1
- C. No password is required
- D. Password1

Correct Answer: D

QUESTION 2

When planning to test a software exploit using a Metasploit module, what two options should be considered about the victim host to ensure success?

- A. USB port version of the victim host
- B. Speed and make of the victim's RAM
- C. software version of the target application
- D. platform, architecture, and patch level of the victim host

Correct Answer: AC

QUESTION 3

A customer has an environment with the following: 1,000 agents communicating over SSL with two servers - one containing the ESM Server and another one where the ESM Console is installed BitsUploads resides on the ESM Console server

ESM Server and Console are using the default pods for communication In a scenario where a file is failing to be uploaded from macOS, which three reasons could be directly related to the failure? (Choose three.)

- A. Traps agent is not able to check in with the ESM Server
- B. The rate of upload is lower than 100Kb/S
- C. The BITS address in the ESM is incorrect
- D. Port 2125 is blocked on the server which hosts BitsUploads
- E. Port 443 is blocked on the server which hosts BitsUploads

Correct Answer: ACE

QUESTION 4

An administrator is testing an exploit that is expected to be blocked by the JIT Mitigation EPM protecting the viewer application in use. No prevention occurs, and the attack is successful. In which two ways can the administrator determine the reason for the missed prevention? (Choose two.)

- A. Check in the HKLM\SYSTEM\Cyvera\Policy registry key and subkeys whether JIT Mitigation is enabled for this application
- B. Check if a Just-In-Time debugger is installed on the system
- C. Check that the Traps libraries are injected into the application
- D. Check that all JIT Mitigation functions are enabled in the HKLM\SYSTEM\Cyvera\Policy\Organization\Process\Default registry key

Correct Answer: AC

QUESTION 5

An administrator receives an alert indicating the ESM service is not starting on the ESM Server. When the administrator tries to start the service manually, the administrator receives an error. "The Endpoint Security Manager service on Local Computer started and then stopped."

What is the cause of the failure?

- A. The Account assigned to the service does not have "Log on as a batch job" permissions on the machine.
- B. The Account assigned to the service does not have "Log on as a service" permissions on the machine.
- C. The Account assigned to the service is not the Local Administrator on the machine.
- D. The Account assigned to the service is not an Active Directory Domain user.

Correct Answer: B

[Latest PSE-ENDPOINT Dumps](#)

[PSE-ENDPOINT PDF Dumps](#)

[PSE-ENDPOINT Braindumps](#)