

## QSDA2019<sup>Q&As</sup>

Qlik Sense Data Architect Certification Exam - June 2019 Release

**Pass Qlik QSDA2019 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/qsda2019.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A data architect needs to create an app to analyze 30-day re-admissions at a hospital.

- 

The medical record system does NOT calculate re-admission data

- 

The business rule to follow: if a patient is admitted to a hospital within 30 days after being discharged from a previous hospital stay, that event should be captured in the app with a flag called "30-day Readmission"

- 

Data being used from the patient record includes hospital account ID, patient ID, admission date and discharge date

Which action should the data architect perform first to meet these requirements?

A. Sequence patient records by hospital account ID and patient ID using the Peek function

B. Sequence patient records by patient ID using the Peek function

C. Calculate the days since previous discharge using admission date and discharge date

D. Order patient records by patient ID and admission date

Correct Answer: A

---

**QUESTION 2**

A data architect needs to write the expression for a measure on a KPI to show the sales person with the highest sales. The sort order of the values of the fields is unknown. When two or more sales people have sold the same amount, the expression should return all of those sales people.

Which expression should the data architect use?

A. `Concat(DISTINCT IF{Aggr{Rank{Sum(Sales),4},Salesperson)=1,Salesperson},\ ' \')`

B. `FirstSortedValue{DISTINCT Salesperson,-Aggr{Sum(Sales),Salesperson}}`

C. `Concat(DISTINCT IF{Aggr{Rank{Sum(Sales),1},Salesperson)=1, Salesperson} , \ ' \')`

D. `FirstSortedValue {Salesperson, -Aggr (Sum{Sales), Salesperson}}`

Correct Answer: A

---

**QUESTION 3**

Refer to the exhibits.

Artist	Instrument	Grades
Alice	Guitar	7
Bob	Piano	5
Chuck	Violin	4
Dan	Piano	5
Frank	Harmonica	2
Eve	Tambourine	3
Eve	Violin	3
Alice	Drums	7
Alice	Violin	7
Frank	Violin	2

Artist	Number of Instruments
<b>Totals</b>	<b>5</b>
Alice	3
Eve	2

A music teacher needs to know which artists are eligible to enter this year's competition. The teacher needs to find only the artists who have a music grade rank above two and play more than one instrument. Which expression is needed for the Number of Instruments measure in the table?

- A. Count({\$}Instrument)
- B. Count({S}Instrument)
- C. Count({\$\$}Instrument)
- D. Count ({S2"}>}Instrument)

Correct Answer: A

**QUESTION 4**

Refer to the exhibit.

OrderID	LineNo	CustomerID	ShipperID	ProductID	ShipmentDate
1	1	25		72	2013-04-24
1	2	25	2	36	
1	3	25	2		
1	4	25	2	26	
2	1	65	2	7	2013-05-25
2	2	65	2	56	
2	3	65	2	5	
3	1	91	2	58	2013-06-29
3	2	91	2	31	
4	1	46	2	10	2013-07-03



OrderID	LineNo	CustomerID	ShipperID	ProductID	ShipmentDate
1	1	25		72	2013-04-24
1	2	25	2	36	2013-04-24
1	3	25	2		2013-04-24
1	4	25	2	26	2013-04-24
2	1	65	2	7	2013-05-25
2	2	65	2	56	2013-05-25
2	3	65	2	5	2013-05-25
3	1	91	2	58	2013-06-29
3	2	91	2	31	2013-06-29
4	1	46	2	10	2013-07-03

A shipping company needs to track its shipments using Qlik Sense A data architect has the data in Excel as shown on

the left Business rules state that if the ShipmentDate field is empty, it should be populated with the first valid previous date as shown on the right.

Which script should the data architect use to meet this requirement?

A)

```
LOAD OrderID,
     LineNo,
     ShipperID,
     ProductID,
     If(len(trim(ShipmentDate))=0,date(peek('ShipmentDate'), 1), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```

B)

```
LOAD OrderID,
     LineNo,
     ShipperID,
     ProductID,
     If(len(trim(ShipmentDate))=0,date(previous('ShipmentDate'), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```

C)

```
LOAD OrderID,
     LineNo,
     ShipperID,
     ProductID,
     If(len(trim(ShipmentDate))=0,date(peek('ShipmentDate'), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```

D)

```
LOAD OrderID,
     LineNo,
     ShipperID,
     ProductID,
     If(len(trim(ShipmentDate))=0,date(previous(peek('ShipmentDate',1)), 'YYYY-MM-DD'),ShipmentDate) as ShipmentDate
FROM [lib://Source/Model/shipments.xlsx]
(ooxml, embedded labels, table is shipments);
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

## QUESTION 5

A human resources (HR) team manager is due to go on leave. The manager needs to assign permissions to colleague to help the HR team publish apps.

Which action(s) should the manager assign to the colleague before going on leave?

- A. Owner Publish
- B. Publish
- C. Owner Publish, Read
- D. Publish, Read

Correct Answer: D

[Latest QSA2019 Dumps](#)

[QSA2019 VCE Dumps](#)

[QSA2019 Braindumps](#)