

RCDD^{Q&As}

BICSI Registered Communications Distribution Designer – RCDDv14

Pass BICSI RCDD Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/rcdd.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by BICSI
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Exhibit:



In this future marina layout, what would be the pre-cabling guideline to follow for the terminal A?

- A. Place distribution cable onto the dock and terminate in a suitable cabinet or enclosure. Run service drop to each boat slip.
- B. Provide one or two pair cables from the boat slips to a distribution terminal on the closest point of land.
- C. Pre-cable each boat slip during construction.
- D. For security, each run should be terminated in the patch panel/ cross-connect at the dockmaster or marina office.

Correct Answer: A

QUESTION 2

What is a passive optical network (PON)?

- A. A point-to-multipoint network architecture in which unpowered optical splitters are used to enable a single optical fiber strand to serve multiple end-points.

- B. A point-to-point network architecture in which powered optical splitters are used to enable a single optical fiber strand to serve multiple end-points.
- C. A point-to-point network architecture in which unpowered optical splitters are used to enable a single optical fiber strand to serve multiple end-points.
- D. A point-to-multipoint network architecture in which powered optical splitters are used to enable a single optical fiber strand to serve multiple end-points.

Correct Answer: A

QUESTION 3

Telecommunications cabling (e.g., voice, data, video, security, audio, control) can be damaged during the construction phases of rough-in, drywall installation, and during the siding of the exterior. For these reasons, telecommunications cabling shall be acceptance tested. Acceptance testing includes visual examination and verification of all cabling and qualification of copper cabling for data cabling or certification of copper or optical fiber cabling for data cabling. Verification testing is generally performed in which two of the following steps? (Choose two.)

- A. Post the acceptance of the construction contract once the Project Manager has approved this phase
- B. Prior to the installation of insulation and drywall
- C. Prior to the installation of the cable tray system for spurs, points that would or could damage the cable infrastructure
- D. During the trim-out stage of the cabling after painting
- E. Post the implementation of the construction

Correct Answer: BD

QUESTION 4

A program manager has four projects pending approval Senior management asks the program manager to identify a project for potential elimination based on the return on investment. The program manager has the following information to guide and support the decision.

Which project should the program manager select to be cancelled?

Project A	Project Revenues = US\$700,000 Project Total Cost = US\$900,000
Project B	Project Revenues = US\$900,000 Project Total Cost = US\$700,000
Project C	Project Revenues = US\$300,000 Project Total Cost = US\$200,000
Project D	Project Revenues = US\$200,000 Project Total Cost = US\$300,000

- A. Project A

B. Project B

C. Project C

D. Project D

Correct Answer: D

QUESTION 5

What is the typical slab thickness requirement for a two level underfloor duct system where feeder and distribution ducts intersect?

A. 4 inch.

B. 5 inch.

C. 6 inch.

D. 7 inch.

Correct Answer: D

[Latest RCDD Dumps](#)

[RCDD VCE Dumps](#)

[RCDD Practice Test](#)