

S10-201^{Q&As}

SNIA Storage Networking Management & Administration

Pass SNIA S10-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/s10-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SNIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You have noticed some unusual behavior in your storage environment. You need to troubleshoot the problem and review the available options there are to resolve the issues and to restore stability. What will restore stability to the environment?

- A. Install system upgrades promptly after successful testing.
- B. Align applications to information policy management requirements.
- C. Limit collaboration with other organizations with similar storage networks and configurations.
- D. An annual security audit should be performed and system logs should be scrutinized for unusual activity.

Correct Answer: A

QUESTION 2

The storage administrator has a request to add more storage to support added features on an application. Which two (2) steps must be taken for the application to recognize the added storage? (Choose two.)

- A. rescan the SCSI bus
- B. enable array rescanning
- C. configure LUN masking
- D. zone the host to the subsystem port
- E. increase the HBA time out value

Correct Answer: AC

QUESTION 3

A customer has a SASbased storage environment with a SAS domain and some standalone servers, each with multiple builtin SAS disks. The implementation includes direct routing, table routing and subtractive routing. Which role does a fanout expander play in subtractive routing?

- A. It routes between edge expanders connected to it.
- B. It forwards routing requests to all other connected edge expanders.
- C. It disables currently unused branches to increase throughput.
- D. It is the sole source of subtractive routing requests in the SAS domain.

Correct Answer: B

QUESTION 4

Which set of SCSI components are required to support SCSI command tag queueing?

- A. adapter, adapter driver, device, device driver
- B. adapter, device, device driver
- C. adapter, device driver, controller, controller firmware
- D. device, device driver

Correct Answer: A

QUESTION 5

When preparing to merge two fabrics, which two items should be checked before connecting the fabrics? (Choose Two.)

- A. zones sets are activated
- B. timeout values are set properly
- C. new configurations are enabled to allow the merge
- D. fabrics are colocated to prevent segmentation
- E. interoperability modes are configured per vendor instructions

Correct Answer: BE

[S10-201 PDF Dumps](#)

[S10-201 VCE Dumps](#)

[S10-201 Braindumps](#)