

SK0-005^{Q&As}

CompTIA Server+ Certification Exam

Pass CompTIA SK0-005 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/sk0-005.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following BEST describes the metric that is used to measure server downtime?

- A. MTTR
- B. BIA
- C. RPO
- D. SLA

Correct Answer: A

QUESTION 2

A server technician is deploying a server with eight hard drives. The server specifications call for a RAID configuration that can handle up to two drive failures but also allow for the least amount of drive space lost to RAID overhead. Which of the following RAID levels should the technician configure for this drive array?

- A. RAID 0
- B. RAID 5
- C. RAID 6
- D. RAID 10

Correct Answer: C

The technician should configure RAID 6 for this drive array to meet the server specifications. RAID 6 is a type of RAID level that provides fault tolerance and performance enhancement by using striping and dual parity. Striping means dividing data into blocks and distributing them across multiple disks to increase speed and capacity. Parity means calculating and storing extra information that can be used to reconstruct data in case of disk failure. RAID 6 uses two sets of parity information for each stripe, which are stored on different disks. This way, RAID 6 can handle up to two disk failures without losing any data or functionality. RAID 6 also allows for the least amount of drive space lost to RAID overhead compared to other RAID levels that can handle two disk failures, such as RAID 1+0 or RAID 0+1.

Reference: <https://www.booleanworld.com/raid-levels-explained/>

QUESTION 3

A developer is creating a web application that will contain ve web nodes. The developer\\'s main goal is to ensure the application is always available to the end users. Which of the following should the developer use when designing the web application?

- A. Round robin
- B. Link aggregation
- C. Network address translation

D. Bridged networking

Correct Answer: A

QUESTION 4

Which of the following licensing models was created by software companies in response to the increasing density of processors?

A. Per-instance

B. Per-server

C. Per-user

D. Per-core

Correct Answer: D

QUESTION 5

A server administrator has received calls regarding latency and performance issues with a file server. After reviewing all logs and server features, the administrator discovers the server came with four Ethernet ports, but only one port is currently in use. Which of the following features will enable the use of all available ports using a single IP address?

A. Network address translation

B. In-band management

C. Round robin

D. NIC teaming

Correct Answer: D

[SK0-005 Practice Test](#)

[SK0-005 Study Guide](#)

[SK0-005 Exam Questions](#)