

SPLK-2001^{Q&As}

Splunk Certified Developer

Pass Splunk SPLK-2001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/splk-2001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Splunk
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following are true of auto-refresh for dashboard panels? (Select all that apply.)

- A. Applies to inline searches and saved searches.
- B. Enabling auto-refresh for a report requires editing XML.
- C. Post-processing searches are refreshed when their base searches are refreshed.
- D. Each post-processing search using the same base search can have a different refresh time.

Correct Answer: BC

QUESTION 2

The response message from a successful Splunk REST call includes an element. What is contained in an element?

- A. A dictionary of elements.
- B. Metadata encapsulating the element.
- C. A response code indicating success or failure.
- D. An individual element in a collection.

Correct Answer: B

Reference: <https://docs.splunk.com/Documentation/Splunk/8.1.2/RESTUM/RESTusing>

QUESTION 3

Which of the following is an intended use of HTTP Event Collector tokens?

- A. A cookie.
- B. An HTTP header field.
- C. A JSON field in the HTTP request.
- D. A password in conjunction with login.

Correct Answer: B

Reference: <https://docs.splunk.com/Documentation/Splunk/8.1.2/Data/FormateventsforHTTPEventCollector>

QUESTION 4

When using the Splunk Web Framework to create a global search, which is the correct post-process

syntax for the base search shown below?

```
var searchmain = new SearchManager{{
```

```
id: "base-search",
```

```
search: "index= internal | head 10 | fields "**",
```

```
preview: true,
```

```
cache: true
```

```
}};
```

A. var mypostproc1 = new PostProcessManager {{ id: "post1", managerid: "base-search", search: "| stats count by sourcetype" }};

B. var mypostproc1 = new PostProcessManager{{ id: "post1", managerid: "base", search: "| stats count by sourcetype" }};

C. var mypostproc1 = new PostProcess{{ id: "post1", managerid: "base-search", search: "| search stats count by sourcetype" }};

D. You cannot create global searches in the Splunk Web Framework.

Correct Answer: A

QUESTION 5

Which HTTP Event Collector (HEC) endpoint should be used to collect data in the following format? {"message":"Hello World", "foo":"bar", "pony":"buttercup"}

A. data/inputs/http/Splunk Certified Developer

B. services/collector/raw

C. services/collector

D. data/inputs/http

Correct Answer: B

Reference: <https://docs.splunk.com/Documentation/Splunk/8.1.2/Data/HECExamples>

[SPLK-2001 Practice Test](#)

[SPLK-2001 Study Guide](#)

[SPLK-2001 Exam Questions](#)