

## VA-002-P<sup>Q&As</sup>

HashiCorp Certified: Vault Associate

### Pass HashiCorp VA-002-P Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/va-002-p.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HashiCorp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

While Vault provides businesses tons of functionality out of the box, what feature allows you to extend its functionality with solutions written by third-party providers?

- A. vault agent
- B. namespaces
- C. plugin backend
- D. control groups

Correct Answer: C

Plugin backends are the components in Vault that can be implemented separately from Vault's built-in backends. These backends can be either authentication or secrets engines. All Vault auth and secret backends are considered plugins. This simple concept allows both built-in and external plugins to be treated like Legos. Any plugin can exist at multiple different locations. Different versions of a plugin may be at each one, with each version differing from Vault's version. Reference links: <https://www.vaultproject.io/docs/plugin> <https://www.vaultproject.io/docs/internals/plugins>

---

**QUESTION 2**

In the example below, where is the value of the DNS record's IP address originating from?

1.

```
resource "aws_route53_record" "www" {
```

2.

```
zone_id = aws_route53_zone.primary.zone_id
```

3.

```
name = "www.helloworld.com"
```

4.

```
type = "A"
```

5.

```
ttl = "300"
```

6.

```
records = [module.web_server.instance_ip_addr]
```

7.

```
}
```

- A. value of the web\_server parameter from the variables.tf file
- B. the output of a module named web\_server
- C. the regular expression named module.web\_server
- D. by querying the AWS EC2 API to retrieve the IP address

Correct Answer: B

In a parent module, outputs of child modules are available in expressions as module... For example, if a child module named web\_server declared an output named instance\_ip\_addr, you could access that value as module.web\_server.instance\_ip\_addr.

---

### QUESTION 3

What Terraform feature is shown in the example below?

1.

```
resource "aws_security_group" "example" {
```

2.

```
  name = "sg-app-web-01"
```

3.

```
  dynamic "ingress" {
```

4.

```
    for_each = var.service_ports
```

5.

```
      content {
```

6.

```
        from_port = ingress.value
```

7.

```
        to_port = ingress.value
```

8.

```
        protocol = "tcp"
```

9.

```
      }
```

10.

```
}
```

11.

```
}
```

- A. data source
- B. dynamic block
- C. local values
- D. conditional expression

Correct Answer: B

You can dynamically construct repeatable nested blocks like ingress using a special dynamic block type, which is supported inside resource, data, provider, and provisioner blocks

---

#### QUESTION 4

What system endpoint can you query to determine which node is the leader of a cluster?

- A. /sys/tools
- B. /sys/leader
- C. /sys/health
- D. /sys/init

Correct Answer: B

The /sys/leader endpoint is used to check the current leader of Vault as well as high availability status.

---

#### QUESTION 5

Complete the following sentence:

The terraform state command can be used to \_\_\_\_\_

- A. view the entire state file
- B. modify the current state, such as removing items
- C. refresh the existing state
- D. there is no such command

Correct Answer: B

The terraform state command is used for advanced state management. Rather than modify the state directly, the terraform state commands can be used in many cases instead. <https://www.terraform.io/docs/>

---

commands/state/index.html

[Latest VA-002-P Dumps](#)

[VA-002-P PDF Dumps](#)

[VA-002-P Study Guide](#)