

VCPN610^{Q&As}

VMware Certified Professional – Network Virtualization

Pass VMware VCPN610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vcpn610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which statement is correct when upgrading vShield Data Security to NSX Data Security?

- A. NSX Data Security does not support a direct upgrade.
- B. NSX Controller must be deployed before the upgrade.
- C. The vCloud Network and Security Virtual Wires must have been upgraded.
- D. vCloud Network and Security must be at least version 5.1 before starting the upgrade.

Correct Answer: A

QUESTION 2

Which two actions take place when an active NSX Edge instance fails? (Choose two.)

- A. Once the original NSX Edge instance is recovered, it preempts the other NSX Edge instance and takes over the active role.
- B. The standby NSX Edge instance becomes the active instance and requests routing updates from the routing neighbors.
- C. Once the original NSX Edge instance is recovered, the NSX Manager attempts to place it on a different host from the other NSX Edge instance.
- D. The standby NSX Edge instance becomes the active instance and retains any routing neighbor adjacencies.

Correct Answer: CD

QUESTION 3

What is a prerequisite to deploying a Logical Switch?

- A. Configure the VXLAN Tunnel Endpoint's (VTEP) VLAN on the trunk in the physical switches.
- B. Add the ESXi hosts to the same vSphere Distributed Switch.
- C. Prepare and configure VTEPs on the ESXi hosts using the vSphere Web Client.
- D. Create a port group on the vSphere Distributed Switch.

Correct Answer: A

QUESTION 4

Which characteristic or feature is required for VXLAN traffic to successfully travel across virtual and physical networks?

- A. Deployment of a three rack design for the compute and network infrastructure support.
- B. A repeatable rack design for scalability.
- C. Network device support for jumbo frames.
- D. Physical VXLAN gateway support in the access layer switches.

Correct Answer: C

QUESTION 5

What are three switch features found only on vSphere Distributed Switches? (Choose three.)

- A. Network I/O Control
- B. CDP
- C. LLDP
- D. SR-IOV
- E. Port Mirroring

Correct Answer: ACE

[VCPN610 VCE Dumps](#)

[VCPN610 Practice Test](#)

[VCPN610 Braindumps](#)