

# VCS-256<sup>Q&As</sup>

Administration of Veritas InfoScale Availability 7.1 for UNIX/Linux

## Pass Veritas VCS-256 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vcs-256.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

On the TriggerPath service group attribute value for the websp service group is set to bin/websp for cluster nodes where the websp service group can be online. Where will Veritas Cluster Server look for the pre-online event trigger if the pre-online event trigger is also enabled on all cluster systems for the websp service group?

- A. \$VCS\_HOME/preonline/triggers/bin/websp
- B. \$VCS\_HOME/bin/websp/preonline
- C. \$VCS\_HOME/bin/websp/internal\_triggers
- D. \$VCS\_HOME/preonline/bin/websp

Correct Answer: B

Reference: [https://sort.veritas.com/public/documents/sf/5.1/aix/html/vcs\\_admin/ap\\_vcs\\_attributes5.html](https://sort.veritas.com/public/documents/sf/5.1/aix/html/vcs_admin/ap_vcs_attributes5.html)

---

**QUESTION 2**

What is the purpose of the Steward process in a global cluster?

- A. to provide a backup communication link on each cluster in a global cluster configuration that takes over heartbeating in the event that the wide-area connector (WAC) faults
- B. to monitor the wide-area connector (WAC) processes on each local cluster on a global cluster configuration and ensure heartbeats are being sent
- C. to monitor the wide-area connector (WAC) processes on each local cluster on a global cluster configuration and restart the wide area connector (WAC) process if they fail
- D. to provide an inquiry mechanism for each local cluster in a global cluster configuration and determine the state of other clusters if heartbeats are undetected on the wide-area connector (WAC)

Correct Answer: B

Reference: [http://static-sort.symanteccloud.com/public/documents/sf/5.0/windows/pdf/VCS\\_Admin.pdf](http://static-sort.symanteccloud.com/public/documents/sf/5.0/windows/pdf/VCS_Admin.pdf)

---

**QUESTION 3**

As part of the consolidation efforts in a data center, the administrator decides to merge two two-node Veritas Cluster Server (VCS) clusters into a four-node VCS cluster. The source and target clusters are on the same networks for LLT communication. The administrator performs the following tasks as preparation for the merge while both clusters are still running:

modifies /etc/lfttab files on the source cluster systems so the cluster ID is changed to the cluster ID of the target cluster  
modifies /etc/lthosts files on all systems to include the four nodes  
modifies /etc/gabtab files on all systems to require the four systems to seed  
ensures the source cluster systems can see the fencing disks used by the target cluster  
copies the fencing configuration files from the target cluster systems to the source cluster systems  
adds the source cluster systems to the target cluster configuration using the hasys -add command

After the preparation is complete, the administrator stops the source cluster leaving the applications running, then stops the whole communication stack and restarts it in the correct order. When the administrator attempts to start the cluster again on the source cluster systems, they fail to join the four-node cluster.

Which preparation step that the administrator failed to perform is preventing the source cluster systems from joining the four-node cluster?

- A. The cluster needs to be manually seeded using `gabconfig -x` on the source cluster systems.
- B. The target `main.cf` file needs to be copied to the source cluster systems.
- C. The service group configuration of the source cluster needs to be applied to the target cluster.
- D. The cluster UUID from the target cluster needs to be copied to the source cluster.

Correct Answer: D

---

#### QUESTION 4

Which service group dependency type supports two applications being online on any system in the cluster?

- A. parallel
- B. global
- C. local
- D. remote

Correct Answer: B

Reference: [https://sort.veritas.com/public/documents/sf/5.1/aix/html/vcs\\_admin/ch\\_vcs\\_group\\_dependencies3.html](https://sort.veritas.com/public/documents/sf/5.1/aix/html/vcs_admin/ch_vcs_group_dependencies3.html)

---

#### QUESTION 5

A cluster has two high-priority LLT links and one low-priority link. The low-priority link is used for public network traffic. What is the state of the cluster if both high-priority links fail simultaneously?

- A. All nodes remain in regular GAB membership, but are also in jeopardy membership.
- B. The cluster is in a split-brain condition until at least one other LLT link is working.
- C. The fencing race is initiated and service groups are failed over the winning nodes.
- D. Service groups are unable to failover when resource faults occur, but can failover if a system fault occurs.

Correct Answer: B

Reference: [https://sort.veritas.com/public/documents/vie/7.1/aix/productguides/html/vcs\\_admin/ch09s01s02s02.htm](https://sort.veritas.com/public/documents/vie/7.1/aix/productguides/html/vcs_admin/ch09s01s02s02.htm)

---

[Latest VCS-256 Dumps](#)

[VCS-256 Study Guide](#)

[VCS-256 Braindumps](#)