

VCS-260^{Q&As}

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vcs-260.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An administrator is notified that a service group faulted due to a disk group failure.

Which two Veritas Cluster Server logs can the administrator review to determine the reason for the failure? (Choose two.)

- A. Mount_A.log
- B. DiskGroup_A.log
- C. CVMVxconfigd_A.log
- D. HostMonitor_A.log
- E. engine_A.log

Correct Answer: BE

QUESTION 2

Which two capabilities can an administrator use to ensure availability within Docker Containers? (Choose two.)

- A. provide HA to the application within the container for failover and app restart
- B. provide provisioning of a new container when an application within the container fails
- C. first restart the application within the container; if continued app failures, then provision a new container
- D. provide HA to the container and move it between cluster nodes
- E. provide provisioning of a new container when a container fails

Correct Answer: AD

QUESTION 3

As part of the consolidation efforts in a data center, the administrator decides to merge two two-node Veritas Cluster Server (VCS) clusters into a four-node VCS cluster. The source and target clusters are on the same networks for LLT communication. The administrator performs the following task as preparation for the merge while both clusters are still running:

1.
modifies `/etc/llttab` files on the source cluster systems so the cluster ID is changed to the cluster ID of the target cluster
2.
modifies `/etc/llthosts` files on all systems to include the four nodes
- 3.

modifies /etc/gabtab files on all systems to require four systems to seed

4.

ensures the source cluster systems can see the fencing disks used by the target cluster

5.

copies the fencing configuration files from the target cluster systems to the source cluster systems

6.

adds the source cluster systems to the target cluster configuration using the hasys -add command

After the preparation is complete, the administrator stops the source cluster leaving the applications running, then stops the whole communication stack and restarts it in the correct order. When the administrator attempts to start the cluster again on the source cluster systems, they fail to join the four-node cluster.

Which preparation step that the administrator failed to perform is preventing the source cluster systems from joining the four-node cluster?

- A. The cluster needs to be manually seeded using gabconfig -x on the source cluster systems.
- B. The target main.cf file needs to be copied to the source cluster systems.
- C. The service group configuration of the source cluster needs to be applied to the target cluster.
- D. The cluster UUID from the target cluster needs to be copied to the source cluster.

Correct Answer: D

QUESTION 4

Which two actions must an administrator take to upgrade an application under cluster control? (Choose two.)

- A. verify the application agent supports the new version
- B. switch the application service group to another node
- C. freeze the application service group
- D. disable the application resources
- E. stop the cluster service on all systems

Correct Answer: AC

QUESTION 5

Which two tasks are performed by the Veritas Cluster Server DiskGroup agent? (Choose two.)

- A. It optionally mounts file systems and volumes.

- B. It sets all diskgroups to autoimport=no.
- C. It sets only the defined diskgroup to autoimport=no.
- D. It automatically discovers SCSI-3 disks.
- E. It uses vxvg commands to verify the diskgroup is online.

Correct Answer: CE

[VCS-260 PDF Dumps](#)

[VCS-260 Study Guide](#)

[VCS-260 Braindumps](#)