

VCS-324^{Q&As}

Administration of Veritas Enterprise Vault 12.3

Pass Veritas VCS-324 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vcs-324.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two configurations are valid options for Microsoft Clustering in an Enterprise Vault environment? (Select two.)

- A. Active/Active
- B. Active/Passive
- C. N+1 (Hot Standby)
- D. Failover with replica
- E. Failover with fault tolerance

Correct Answer: BC

QUESTION 2

Refer to the Exhibit.



How can the text in the banners be changed?

- A. by creating or modifying a WebApp.ini file
- B. by Modifying the Mailbox Archiving task, Shortcut Creation tab settings
- C. by Modifying the Advanced Properties of the Desktop Policy
- D. by creating or modifying a ShortcutText.txt file

Correct Answer: D

QUESTION 3

Which process is responsible for shortcut processing after an Archive Move to a different Veritas Enterprise Vault 12.3 site?

- A. Indexing Service on the source Enterprise Vault server
- B. Indexing Service on the destination Enterprise Vault server
- C. Archiving Task on the destination Enterprise Vault server
- D. Archiving Task on the source Enterprise Vault server

Correct Answer: C

QUESTION 4

Users who are disabled for Veritas Enterprise Vault 12.3 (EV) complain that they see the Enterprise Vault Office Mail App in OWA 2013. What is the possible reason for it?

- A. EV Office Mail App is installed using EV OWA Extensions
- B. EV Office Mail App is deployed for the Organization level in Exchange
- C. EV Office Mail App is installed using PowerShell commands on the EV server
- D. EV Office Mail App is installed using EVPM and OfficeMailAppManifest.xml

Correct Answer: B

QUESTION 5

Storage Expiry is enabled.

How can messages from a single mailbox archive be prevented from deletion?

- A. clear the "Delete expired items from this archive automatically" check box in the archive properties
- B. use the Tools > Disable Mailboxes option
- C. mark the "Lock this category" check box in the Retention Category properties and restart the storage server
- D. create and apply an EVPM initialization file with "NONDeletable=True" against the mailbox

Correct Answer: A