

VCS-324^{Q&As}

Administration of Veritas Enterprise Vault 12.3

Pass Veritas VCS-324 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vcs-324.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An organization needs to use the Update Service Locations (USL) feature of Veritas Enterprise Vault 12.3 for Exchange (EV).

Which two physical EV resources must be remote to the EV servers for this feature to work seamlessly? (Select two.)

- A. SQL Server
- B. Archiving targets
- C. Index Server Groups
- D. Vault Store Partitions
- E. Message Queuing

Correct Answer: AD

QUESTION 2

Where is an item temporarily stored when Outlook Web Access users open the archived item?

- A. in a temporary folder on the user's computer
- B. in the user's mailbox, in the Restored Items folder.
- C. in the TEMP directory on the Enterprise Vault Server
- D. in the user's mailbox, in the Deleted Items folder

Correct Answer: D

QUESTION 3

An administrator is configuring parameters for how archived items will expire from Veritas Enterprise Vault 12.3.

Upon which two dates can storage expiry be based? (Select two.)

- A. Modified date
- B. Retention date
- C. Archived date
- D. Expiry date
- E. Sent date

Correct Answer: BC

QUESTION 4

Which task is responsible for the shortcut processing after an Archive Move to a different Veritas Enterprise Vault 12.3 site?

- A. provisioning task on the source Enterprise Vault server
- B. provisioning task on the destination Enterprise Vault server
- C. archiving task on the destination Enterprise Vault server
- D. archiving task on the source Enterprise Vault server

Correct Answer: C

QUESTION 5

Storage Expiry is enabled.

How can messages from a single mailbox archive be prevented from deletion?

- A. clear the "Delete expired items from this archive automatically" check box in the archive properties
- B. use the Tools > Disable Mailboxes option
- C. mark the "Lock this category" check box in the Retention Category properties and restart the storage server
- D. create and apply an EVPM initialization file with "NONDeletable=True" against the mailbox

Correct Answer: A

[VCS-324 PDF Dumps](#)

[VCS-324 Exam Questions](#)

[VCS-324 Braindumps](#)