

# VL LOCITY-PLATFORM-DEVELOPER<sup>Q&As</sup>

Vlocity-Platform-Developer - Vlocity Platform Developer Exam (v5.0)

**Pass Vlocity VLOCITY-PLATFORM-DEVELOPER  
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vlocity-platform-developer.html>

**100% Passing Guarantee**  
**100% Money Back Assurance**

Following Questions and Answers are all new published by Vlocity  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

You want to build a DataRaptor Transform to send product pricing to a Calculation Procedure. Given the JSON Output below, which mapping in your Transform would be correct for the Output JSON Path for the Base Price?

```
{
  "input": {
    "ProductName": "Text",
    "ProductImage": Text,
    "NumberOfEmployees": "Text",
    "BasePrice": "Text",
    "Zip": "Text"
  }
}
```

- A. Input.baseprice
- B. Input:BasePrice
- C. Input-Base Price
- D. Input BasePrice

Correct Answer: B

---

## QUESTION 2

In an OmniScript, you have a Disclosure element that requires user input only if the user already checked a Non Disclosure Agreement checkbox. Which conditional view option do you choose?

- A. Disable read only if true
- B. Set element to required if true
- C. Show element if true
- D. Set element to optional if false

Correct Answer: C

---

## QUESTION 3

You want to use a custom icon in a FlexCard. How would you do this?

- A. Select Salesforce SVG as the icon type and scroll through until you find the custom icons
- B. Select Custom as the icon type and search for the custom icon you want from the library
- C. Select Salesforce SVG as the icon type and search for custom to find the custom icon
- D. Select Custom as the icon type and enter the icon URL in the Image Source field

Correct Answer: D

---

## QUESTION 4

You are configuring the API URL in an HTTP Action element within an Integration Procedure. What is the merge code syntax for passing a Date node from an element named SetValues in the URL?

- A. {{SetValues. Date} Calculator
- B. [SetValues\ [Date] on
- C. %SetValues:Date%
- D. %Setvalues.Date%

Correct Answer: C

---

## QUESTION 5

How is data accessed for a Field element in a FlexCard that wants the AccountName?

- A. records
- B. {records}
- C. {AccountName}
- D. AccountName

Correct Answer: C

[Latest VLOCITY-  
PLATFORM-DEVELOPER  
Dumps](#)

[VLOCITY-PLATFORM-  
DEVELOPER VCE Dumps](#)

[VLOCITY-PLATFORM-  
DEVELOPER Study Guide](#)