

VL LOCITY-PLATFORM-DEVELOPER^{Q&As}

Vlocity-Platform-Developer - Vlocity Platform Developer Exam (v5.0)

**Pass Vlocity VLOCITY-PLATFORM-DEVELOPER
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vlocity-platform-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Vlocity
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

For testing an Omniscript the ContextId is the only key in a Set Values element Before going into production, what are two possible best practices for this ContextId?

Choose 2 answers

- A. Delete the Set Values element.
- B. Do nothing. It will be ignored at runtime.
- C. Deactivate the Set Values element.
- D. Add the correct ContextId to the {Data} modal

Correct Answer: AD

QUESTION 2

What should your first step be in troubleshooting whether a DataRaptor Extract is retrieving data?

- A. Go to the PREVIEW tab in OmniScript to test.
- B. Go to the Industry Console and reload the page to test.
- C. Deactivate the card and layout, and go to the PREVIEW tab for the card to test.
- D. Add a key/value pair in the DataRaptor to test it

Correct Answer: C

QUESTION 3

You want to build a DataRaptor Transform to send product pricing to a Calculation Procedure. Given the JSON Output below, which mapping in your Transform would be correct for the Output JSON Path for the Base Price?

```
{  
  "input": {  
    "ProductName": "Text",  
    "ProductImage": Text,  
    "NumberOfEmployees": "Text",  
    "BasePrice": "Text",  
    "Zip": "Text"  
  }  
}
```

- A. Input.baseprice
- B. Input:BasePrice
- C. Input-Base Price
- D. Input BasePrice

Correct Answer: B

QUESTION 4

In a Calculation Procedure, what is required for the output of a Calculation Step to be used in an Aggregation Step?

- A. It must be a calculation step
- B. It must be a matrix lookup step
- C. It must be included in the calculation output
- D. It must be included in constants

Correct Answer: A

QUESTION 5

In an Integration Procedure, you need to perform a multi-step calculation on every element of an array. Based on best practices, what two methods are recommended?

Choose 2 answers

- A. Use a Calculation Action to call a Calculation Procedure.

- B. Use a Set Values Element inside a Loop Block.
- C. Use a List Action to merge the array elements together.
- D. Use a Matrix Action to call a Calculation Matrix

Correct Answer: AD

[Latest VLOCITY-
PLATFORM-DEVELOPER
Dumps](#)

[VLOCITY-PLATFORM-
DEVELOPER Study Guide](#)

[VLOCITY-PLATFORM-
DEVELOPER Exam
Questions](#)