

## XK0-004<sup>Q&As</sup>

CompTIA Linux+ Certification Exam

### Pass CompTIA XK0-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/xk0-004.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

An administrator needs to set the time of a VM that has no network connectivity to an NTP server. The VM's host, however, is synchronized with NTP. Which of the following allows the administrator to synchronize the time of the VM with the host?

- A. time
- B. date
- C. hwclock
- D. ntpdate

Correct Answer: C

---

## QUESTION 2

A Linux administrator wants to fetch a Git repository from a remote Git server. Which of the following is the BEST command to perform this task?

- A. git checkout
- B. git clone
- C. git merge
- D. git config

Correct Answer: B

Reference: <https://git-scm.com/book/en/v2/Git-Basics-Working-with-Remotes>

---

## QUESTION 3

A Linux administrator created a new log file in `/var/log/newlog` to monitor a newly installed application. The administrator is now configuring parameters of the file so it will be rotated on a weekly basis or when it becomes larger than 1MB in size. In addition, five rotations of the file should exist in the `/var/log` directory.

Which of the following should be added to the `/etc/logrotate.conf` file to meet this objective?

- A.
- ```
/var/log/ {  
rotate 5  
create newlog 0664 root admin  
maxsize 1M  
}
```
- B.
- ```
/var/log/newlog {  
rotate 5  
weekly  
maxsize 1M  
}
```
- C.
- ```
/var/log/ {  
rotate 5  
weekly  
create 0644 root root  
minsize 1M  
}
```
- D.
- ```
/var/log/newlog {  
rotate 4  
weekly  
maxsize 1  
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

---

#### QUESTION 4

An administrator is attempting to block SSH connections to 192.168.10.24 using the Linux firewall. After implementing a rule, a connection refused error is displayed when attempting to SSH to 192.168.10.24. Which of the following rules was MOST likely implemented?

A. iptables -A -p tcp -d 192.168.10.24 --dport 22 -j REJECT

B. iptables -A -p tcp -d 192.168.10.24 --dport 22 -j DROP

C. iptables -A -p tcp -d 192.168.10.24 --dport 22 -j FORWARD

D. iptables -A -p tcp -d 192.168.10.24 --dport 22 -j REFUSE

Correct Answer: A

Reference: <https://www.golinuxhub.com/2014/03/how-to-allowblock-ssh-connection-from.html>

---

#### QUESTION 5

A junior Linux administrator is installing patches using YUM. The administrator issues the following command:

```
yum list installed
```

The output of the command is as follows:

```
Loaded plugins: fastmirror, langpacks
Existing lock /var/run/yum.pid: another copy is running as pid 5180.
Another app is currently holding the yum lock; waiting for it to exit...
The other application is yum
Memory: 26 M RSS (r415 MB VSZ)
Started: Fri Jun 15 08:05:15 2018 - 2:18:48 ago
State: Traced/Stopped pid: 5180
```

Given this scenario and the output, which of the following should the administrator do to address this issue?

A. renice -n 9 -p 5180

B. killall yum

C. ps -ef | grep yum

D. top | grep yum

Correct Answer: C

Reference: <https://www.thegeekdiary.com/yum-command-fails-with-another-app-is-currently-holding-the-yum-lock-in-centos-rhel-7/>

[XK0-004 PDF Dumps](#)

[XK0-004 Exam Questions](#)

[XK0-004 Braindumps](#)