

# 050-733<sup>Q&As</sup>

SUSE Certified Linux Administrator 12

## Pass Novell 050-733 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/050-733.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Novell Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

In the bash shell, which command can be used to create a MY\_NAME variable containing the value Joe?

- A. MY\_NAME=Joe
- B. MY\_NAME = Joe
- C. echo Joe > MY\_NAME
- D. export MY\_NAME = Joe

Correct Answer: A

### **QUESTION 2**

Which file contains the configuration information of the print queues available on your CUPS server?

- A. The /etc/printcap file
- B. The /etc/sysconfig/cups file
- C. The /etc/cups/cups.conf file
- D. The /etc/cups/printers.conf file

Correct Answer: D

### **QUESTION 3**

You want to copy the master boot record, the partition table, and the 2 magic bytes at the beginning of / dev/had to a file so you can restore it later. Which command accomplishes this?

- A. dd if=/dev/hda of=mbr bs=512 count=1
- B. dd if=mbr of=/dev/hda bs=512 count=1
- C. dd of=/dev/zero if=/dev/hda bs=512 count=1
- D. dd if=/dev/urandom of=/dev/hda bs=512 count=1

Correct Answer: A

#### **QUESTION 4**

You have limited access to the /admin directory of the web interface of your CUPS server with the

following statement in /etc/cups/cupsd.conf:



AuthType BasicDigest

AuthClass Group

AuthGroupName sys

Order Deny, Allow Deny From All Allow From 127.0.0.1 To allow the cupsadmin user to access the /admin directory when connecting from localhost, how do you

create the cupsadmin user and set his password?

- A. passwd cupsadmin
- B. Ippasswd cupsadmin
- C. passwd --cups cupsadmin
- D. lppasswd -a cupsadmin -g sys

Correct Answer: D

#### **QUESTION 5**

Which statements about partitions are correct? (Choose 3.)

- A. Extended partitions can be subdivided into logical partitions.
- B. A primary partition consists of a continuous range of cylinders.
- C. Logical partitions do not require entries in the main partition table.
- D. If you use only primary partitions, you are limited to eight partitions per disk.
- E. SUSE Linux Enterprise Server 10 can only be installed on a primary partition.
- F. To install more than one operating system on a partition, the partition has to include the entire cylinder range.

Correct Answer: ABC

#### **QUESTION 6**

In which file are global configurations for users who use bash as their login shell set?

- A. /etc/bashrc
- B. /etc/bash.cf
- C. /etc/bash.conf
- D. /etc/bash.bashrc

# Leads4Pass



Correct Answer: D
QUESTION 7
While in insert mode, how do you save a file and close vi?
A. Press Esc and :q
B. Press Esc and :w
C. Press Esc and :wq
D. Press Esc and :zz
Correct Answer: C
QUESTION 8
Why are the noauto and users options used with /etc/fstab?
A. A normal user is not allowed to access this partition.
B. They allow any user to mount and unmount a partition.
C. They specify the partitions that are bootable by a user.
D. They specify the partitions that are not bootable by a user.
Correct Answer: B
QUESTION 9
Which options are PAM module types that can be used in a PAM configuration file? (Choose 4.)
A. key
B. auth
C. card
D. account
E. session
F. password
Correct Answer: BDEF

## **QUESTION 10**

# **Leads4Pass**

https://www.leads4pass.com/050-733.html 2024 Latest leads4pass 050-733 PDF and VCE dumps Download

Within less, how do you search for a string downwards from where the cursor is positioned?
A. \string
B. ?string
C. /string
D. =string
Correct Answer: C
QUESTION 11
How do you activate an ACL when mounting a file system manually?
A. mountacl /dev/hda5 /data
B. mount -f acl /dev/hda5 /data
C. mount -o acl /dev/hda5 /data
D. mountuse-acl /dev/hda5 /data
Correct Answer: C
OUESTION 42
QUESTION 12
You wonder which installed RPM package the /etc/exports file belongs to. Which command will give you the desired information?
A. rpm -f /etc/exports
B. rpm -qf /etc/exports
C. rpm -ql /etc/exports
D. rpmprovides /etc/exports
Correct Answer: B

### **QUESTION 13**

You want to redirect the output of the Is command to the Is-output file which already exists. The output should be appended to the file; it should not overwrite the existing content. Which command accomplishes this task?

A. ls > ls-output

B. ls: ls-output

C. ls >> ls-output

	·	
D. Is andand Is-output		
Correct Answer: C		
QUESTION 14		
What information do you need to set	up an LDAP client? (Choose 4.)	
A. LDAP version		
B. LDAP base DN		
C. Kind of encryption		
D. Synchronization frequency		
E. Address of the LDAP server		
F. File name of the LDAP database		
Correct Answer: ABCE		
QUESTION 15		
Which command can you use to checallocation of data blocks?	ck an ext2/ext3 file system for a correct super	rblock, faulty data blocks, or faulty
A. df		
B. du		
C. fdisk		
D. e2fsck		
E. reiserfsck		
Correct Answer: D		
050-733 VCE Dumps	050-733 Study Guide	050-733 Braindumps