

## 156-115.80<sup>Q&As</sup>

Check Point Certified Security Master - R80

### Pass CheckPoint 156-115.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/156-115-80.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

After determining that the IPS Blade is causing high resource utilization in the gateway, which would be an appropriate strategy to improve IPS performance?

- A. Enabling CoreXL
- B. Enable Bypass mode
- C. Disabling SecureXL
- D. Enabling SecureXL

Correct Answer: A

---

**QUESTION 2**

Which is the correct "fw monitor" syntax for creating a capture file for loading it into WireShark?

- A. fw monitor -e "accept ; "andgt;> Output.cap
- B. This cannot be accomplished as it is not supported with R80.10
- C. fw monitor -e "accept ;" -file Output.cap
- D. fw monitor -e "accept ;" -o Output.cap

Correct Answer: D

---

**QUESTION 3**

Which "fwm" command syntax will instruct the gateway to load its most recent policy?

- A. fwm fetch localhost
- B. fwm -d fetchlocal
- C. fwm load -m
- D. None, as "fwm" can only be executed on management servers

Correct Answer: D

---

**QUESTION 4**

Which of the following file is commonly associated with troubleshooting crashes on a system such as the Security Gateway?

- A. core dump
- B. CPMIL dump
- C. fw monitor
- D. tcpdump

Correct Answer: A

---

## QUESTION 5

The CPSizeMe script will run how long by default?

- A. 48 hours
- B. 12 hours
- C. 8 hours
- D. 24 hours

Correct Answer: D

Reference: [https://supportcenter.checkpoint.com/supportcenter/portal?eventSubmit\\_doGoviewsolutiondetails=&andsolutionid=sk88160#:~:text=Running%20cpsizeme,-To%20see%20theandtext=By%20default%2C%20the%20script%20will%20run%20for%2024%20hours.](https://supportcenter.checkpoint.com/supportcenter/portal?eventSubmit_doGoviewsolutiondetails=&andsolutionid=sk88160#:~:text=Running%20cpsizeme,-To%20see%20theandtext=By%20default%2C%20the%20script%20will%20run%20for%2024%20hours.)

---

## QUESTION 6

How would you disable CPM debug?

- A. Run `fw debug cpm off TDERROR_ALL_ALL=0`
- B. Delete `$FWDIR/log/tdlog.cpm` file
- C. Set the severity level to INFO and run `cpm_debug.sh -r`
- D. Delete `$FWDIR/log/fwm.elg` file

Correct Answer: A

---

## QUESTION 7

Which type of SecureXL templates is enabled by default on Security Gateways?

A. Accept

B. Drop

C. NAT

D. VPN

Correct Answer: A

---

## QUESTION 8

When troubleshooting static NAT, you would follow all the steps below, EXCEPT:

A. Verify NAT configuration

B. Debug NAT

C. Run "fw tab -t fw\_x\_alloc"

D. Run "fw ctl arp" command

Correct Answer: C

---

## QUESTION 9

Which of the following services is NOT an option in the Content Awareness Blade?

A. http

B. ssh

C. https

D. smtp

Correct Answer: B

Reference: [https://sc1.checkpoint.com/documents/R80.40/WebAdminGuides/EN/CP\\_R80.40\\_NextGenSecurityGateway\\_Guide/Content/Topics-FWG/Content-Awareness-Blade.htm](https://sc1.checkpoint.com/documents/R80.40/WebAdminGuides/EN/CP_R80.40_NextGenSecurityGateway_Guide/Content/Topics-FWG/Content-Awareness-Blade.htm)

---

## QUESTION 10

When troubleshooting Hide NAT failure, what step should be taken after the NAT configuration has been verified?

A. Verify that the gateway answers the ARP requests

B. Run fw tab -t fw\_x\_alloc to verify that the fw\_x\_alloc table is not filled up

C. Run fw ctl arp to verify that the static addresses are loaded

D. Verify the NAT configuration

Correct Answer: C

---

## QUESTION 11

What is the purpose of a Management server?

- A. The sole purpose of the Management server is to store the log files sent by the Security Gateways.
- B. The Management server manages, creates, stores, and distributes the security policy to Security Gateways. It also functions as the Certificate Authority of all managed Check Point products.
- C. The Management server provides the connector for the GUI client and uses exclusively port 257/tcp.
- D. The Management server only functions as the Certificate Authority of all managed Check Point products.

Correct Answer: B

Reference: [https://sc1.checkpoint.com/documents/R80/CP\\_R80\\_SecMGMT/html\\_frameset.htm?topic=documents/R80/CP\\_R80\\_SecMGMT/101062](https://sc1.checkpoint.com/documents/R80/CP_R80_SecMGMT/html_frameset.htm?topic=documents/R80/CP_R80_SecMGMT/101062)

---

## QUESTION 12

The CPM process uses what ports?

- A. 19009 and 18120
- B. 18265 and 257
- C. 19009 and 9009
- D. 18265 and 9009

Correct Answer: C

Reference: [https://sc1.checkpoint.com/documents/R80/CP\\_R80\\_MultiDomainSecurity/html\\_frameset.htm?topic=documents/R80/CP\\_R80\\_MultiDomainSecurity/15420](https://sc1.checkpoint.com/documents/R80/CP_R80_MultiDomainSecurity/html_frameset.htm?topic=documents/R80/CP_R80_MultiDomainSecurity/15420)

---

## QUESTION 13

What is a primary advantage of using the fw monitor tool?

- A. It always captures all packets hitting the physical layer
- B. It is menu-driven, making it easy to configure
- C. It has no negative impact on firewall performance

D. It can capture packets in various positions as they move through the firewall

Correct Answer: D

Reference: [https://dl3.checkpoint.com/paid/16/HowTo\\_Configure\\_Templates\\_FWMonitor.pdf?](https://dl3.checkpoint.com/paid/16/HowTo_Configure_Templates_FWMonitor.pdf?)

HashKey=1607631676\_23e6443e7344d68ad339ffc7101f46faandxtn=.pdf

---

## QUESTION 14

How can you ensure that a particular service does not use the cluster IP address?

- A. Add the corresponding service port and IP protocol number into the "no\_hide\_services\_ports" section of the table.def file
- B. Add the corresponding service port and IP protocol number into the "hide\_services\_ports" section of the table.def file
- C. Add the corresponding service port and IP protocol number into the "no\_hide\_services\_ports" section of the user.def file
- D. Add the corresponding service port and IP protocol number into the "hide\_services\_ports" section of the user.def file

Correct Answer: A

---

## QUESTION 15

Which database domain stores URL filtering updates?

- A. Threat Prevention Domain
- B. Application Control domain
- C. IPS Domain
- D. Check Point Data Domain

Correct Answer: B

[156-115.80 VCE Dumps](#)

[156-115.80 Study Guide](#)

[156-115.80 Exam Questions](#)