

1D0-437^{Q&As}

CIW PERL FUNDAMENTALS

Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1d0-437.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In Perl, packages are used for which task?

- A. To label a program
- B. To encrypt a program
- C. To create new keywords
- D. To define a namespace

Correct Answer: D

QUESTION 2

Which one of the following choices lists the three loop-control commands?

- A. exit, last, loop
- B. next, first, last
- C. loop, exit, next
- D. redo, next, last

Correct Answer: D

QUESTION 3

Which of the following choices demonstrates the correct syntax to pass a reference to a subroutine?

- A. \@array4;
- B. @array4(\$ref);
- C. getpass(\@array4);
- D. getpass{@array4};

Correct Answer: C

QUESTION 4

Which of the following code segments correctly prepares a database query, creating a valid statement handle and a result set? Assume \$dbh represents a valid database handle.

- A. \$sth = \$dbh->prep_statement(SELECT * FROM aTable); \$sth->execute_statement;

B. `$sth = $dbh->prepare(SELECT * FROM aTable);$sth->execute;`

C. `$sth = $dbh->prep_statement(SELECT * FROM aTable); $sth->execute;`

D. `$sth = $dbh->prepare_statement(SELECT * FROM aTable); $sth->execute_statement;`

Correct Answer: B

QUESTION 5

Consider the program code in the attached exhibit.

```
$string = "Bumblebee";  
  
$string =~ s/B/H/g;  
$string =~ s/EB/H/gi;  
$string =~ s/H(umble)$/B$1/;  
$string =~ s/(\w*)/$1\n$1/;  
  
print $string;
```

What is the result of executing this program code?

A. The code will output the following: Bumblebee

B. The code will output the following: HumhIHee

C. The code will output the following: BumbIHee

D. The code will output the following: HumbIHee

Correct Answer: D

QUESTION 6

Yngve wants to define a character class that includes any alphanumeric word characters.

```
1.     print("=" . add(3, 5, 2, 3) . " ");
2.
3.     sub add
4.     {
5.         @addends = @_ ;
6.
7.         $total = $addends[0];
8.         print ("$total ");
9.
10.        $flag = 0;
11.        LOOP: foreach $_ (@addends)
12.        {
13.            if ($flag == 0)
14.            {
15.                $flag = 1;
16.                next LOOP;
17.            }
18.
19.            print ("+ $_ ");
20.            $total += $_;
21.        }
22.        return $total;
23.    }
```

Which one of the following choices is best suited for this requirement?

- A. `/[a-zA-Z_0-9]/`;
- B. `/^w/`;
- C. `/[^a-zA-Z_0-9]/`;
- D. `/[^0-Z$]/`;

Correct Answer: A

QUESTION 7

Consider the following assignments: $x = 9$ $y = 7$ $z = 5$ Given these assignments, which one of the following expressions evaluates as true?

A. $(x - y) != (y - z)$;

B. $(z * 2) > y$;

Correct Answer: C

QUESTION 8

Consider the following program code:

```
@array = ("Y", "W", "X");
```

```
@array = sort(@array);
```

```
unshift(@array, "Z");
```

```
print(@array[0]);
```

What is the output of this code?

A. W

B. X

C. Y

D. Z

Correct Answer: D

QUESTION 9

Consider the following program code:

```
$y = 1;
```

```
$x = 2;
```

```
$z = 3;
```

```
do
```

```
{
```

```
print ($y );
```

```
} while ($y eq 2);
```

```
do
```

```
{  
print ($x );  
}  
until ($x eq 2);  
print ($z );
```

What is the result of executing this program code?

- A. The code will output the following: 1 2 3
- B. The code will output the following: 3
- C. The code will output the following: 2 3
- D. The code will output the following: 3 2 1

Correct Answer: A

QUESTION 10

Consider that a file named test.txt contains this line of text: One line of test text. What is the output of the following lines of code?

```
$file = "test.txt";  
open (OUT, "
```